### PRODUCT FACTS

### WHAT IT DOES:

Helps protect your home from invading ants, except harvester and pharaoh ants. Also kills crickets, fire ants, chinch bugs, armyworms (fall and yellow-striped), billbugs, cutworms, earwigs, fleas, roaches (German and American), grubs, sod webworms, European crane flies, ticks and other listed insects.

### WHERE TO USE:

### **QUESTIONS & COMMENTS:**



STOP READ ENTIRE LABEL BEFORE USE.

# **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

Keep children and pets off treated area until product has been watered in and lawn is dry.

- In New York State, this product may not be applied to lawns within 100 ft of a coastal marsh, or stream that drains directly into a coastal marsh.

  NOTE:

   Do not apply more than three (3) times per year per location.

   Do not allow product to run off from target site or apply within 24 hours of rain.

   Do not make applications during rain. Apply this product directly to the lawn or garden area. Water treated area as directed on this label. Do not
- Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies or
  aquatic habitat can occur. Do not allow the product to enter any drain during or after application.
   Treat the following pests during the months indicated. Make no more than three (3) applications per year.

Billbugs: May; grubs: July through October; dung beetle grubs: March through July; hyperodes weevils: April through May.

Treat ants (except harvester and pharaoh ants) and other insects when they first appear or you notice lawn damage.

DIRECTIONS FOR APPLYING			
Treatment Areas	Pests	How To Use	Use Rate
<b>Band Treatment</b> Around House Foundation	Ants*, fleas, roaches (German and American), Palmetto bugs, water bugs, millipedes, mites, silverlish, sowbugs (pillbugs), crickets**, earwigs, ladybeetles**, cutworms (black, brorzed, granulate, variegated, greasy, spotted, army, clover, green), firebrats and spider mites (two-spotted and spruce)	These pests are commonly found around or near foundations of houses as well as in lawns. Certain of these pests may enter houses. Apply a 3- to 5-foot band of granules next to the house foundation. Distribute granules uniformly. Water lightly immediately after application.	Apply at the rate of 0.4 lb per 500 sq ft (an area 5' x 100').
Lawn Application	Ants*, armyworms (fall, yellow-striped, lawn), European crane files, crickets*, curivorms (black, bronzed, granulate, variegated, grassy, spotted, army, clover, green), earwigs, fleas, lawn moths (sod webworms), grasshoppers, Japansee beetles (adults), pillougs, spittlebugs, mites, green June beetles, leathoppers*, fimilipedes, springtalis, toics (including ticks that may transmit Lyme Disease), ladybeetles**, webworms (grass, trotical sod), mealybugs	Apply when grass is dry. Water lawn lightly immediately after application.  For season-long control of ants*, apply at the rate of 1 lb per 500 sq ft.	Apply at the rate of 0.4 lb per 500 sq ft (an area 20' x 25'). For season-long control of ants*, apply at the rate of 1 lb per 500 sq ft (an area 20' x 25').
	Billbugs (bluegrass, hunting), grubs (Japanese beetle grubs, green June beetle grubs, <i>Aleanius syretulus</i> (dung beetles), hyperodes weevils, molé crickets (tavmy, southern, short-winged), chinch bugs	Immediately water grass thoroughly after application. For billbug control, apply when activity is first observed or when chewed or brown grass indicates damage from these insects. For grub control, except dung beetle, treat anytime between late, July arealy October. For dung beetig und control apply is appring or early summer when damage is first noticed. Water grass thoroughly with ¼ to ½ inch of water immediately after application. Treat again in late summer or early fall fit a second generation occurs.	Apply 0.6 lb per 500 sq ft of lawn.
Spot Treatment	Ants*	Water lightly immediately after application.	Apply ½ tsp over and around each anthill.

<sup>\*</sup>Ants (except harvester and pharaoh): Argentine, carpenter, southern, field, Allegheny mound, cornfield, honey, pavement, red imported fire ant, nuisance, odorous, pyramid, black turf, white-footed, crazy, little black, ghost, thief, acrobat, citronella, big-headed, lawn

wood, western striped, eastern striped, sand field, vocal field, southern wood

\*\*\*Ladybeetles: Convergent, seven-spotted, two-spotted, thirteen-spotted, twice-stabbed, Asian

‡Leafhoppers: Mountain, rose, southern garden, variegated, variegated larvae, Virginia creeper, aster, six-spotted, elm, white-banded elm, sharp-nosed, blunt-nosed, red-banded and rice

. This product kills ants (except harvester and pharaoh ants) as well as fleas, mites, crickets, earwigs, millipedes, roaches (German and American), Palmetto bugs, water bugs, sowbugs (pillbugs), silverlish, ticks (including ticks that may transmit Lyme Disease) and other listed pests



- along the foundation of your home. Granules should be spaced like the ones pictured. Use rate = 0.8 lb per 1,000 sq ft (an area 5' x 200') or  $1\frac{1}{4}$  oz for each 100 sq ft (an area 5' x 20')
- 4. Gently water treated areas

2. Break the seal and open the pon-top cap Granules shown actual size

1. Try to get even coverage throughout your "band."

2. Reapply after hard rains to areas where down spouts empty

## SPOT TREATMENT FO

## STORAGE AND DISPOSAL

Storage: Reclose container tightly after each use. Store in a cool, dry area which is inaccessible to children and pets.

Disposal: If empty: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain

# PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Food utensils such as spoons or measuring gups must not be used for food purposes after use in measuring pesticides

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center, doctor, or going for treatment. You may also contact 1-800-917-5438 for emergency medical treatment information.

This product is highly toxic to fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk or street, back onto the treated area of the lawn or garden will help to prevent runoff to water bodies or drainage systems.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions

Distributed by Spectrum Group, Division of United Industries Corporation

PO Box 142642, St. Louis, MO 63114-0642

EPA Reg. No. 9688-250-8845

EPA Est. Nos. 9198-0H-1(M), 9198-0H-2(B), 9198-AL-1(A), 8378-IN-1 (CM), 39578-TX-1 (AM), 5905-GA-1 (CI), 5905-IA-1 (CK)

Circled letter is first letter of lot number. 17-14666 © 2012 UIC

If you are not satisfied with this product for any reason, send your written request for a refund to the address below, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for

PROOF OF PURCHASE

**FPO UPC** 071121539410



<sup>\*\*</sup>Crickets: House, common short-tailed, Indies short-tailed, Arizona, tropical, variable field, fall field, southeastern field, Texas field, spring field, northern