

WELCOME | BIENVENUE | BIENVENIDO



THE KEURIG PROMISE

Your new Keurig® 2.0 brewer isn't just simple, it's also super smart. And so are the Keurig® brand K-Cup® and K-Carafe™ pods we've created for it. The brewer and the pod work together to guarantee that when you press the Brew button, your beverage will be brewed to perfection. Every time.

Just look for the Keurig Brewed® seal to be sure you're using Keurig® brand pods.



HERE'S HOW THE SYSTEM WORKS:

1. Pop in your favorite Keurig® brand pod.
2. Keurig 2.0 Brewing Technology™ reads the lid of the Keurig® brand pod to provide the ideal beverage setting. Your Keurig® 2.0 brewer will not work with pods that don't have the Keurig Brewed® seal.
3. From a cup to a carafe, enjoy your beverage just the way you want it.

**And it all happens at the touch of a button.
It couldn't be more simple. Or delicious.**



ENGLISH



IF IT DOESN'T HAVE THE KEURIG BREWED® SEAL, IT'S NOT KEURIG® QUALITY

In order for your Keurig® 2.0 brewer to give you the best beverage possible, be sure to use only Keurig® brand pods. The Keurig® 2.0 brewer reads the lid of the Keurig® brand pod to provide the perfect beverage setting. Your Keurig® 2.0 brewer will not work with pods that don't have the Keurig Brewed® seal. It's our way of making sure that the beverage you love will always be the beverage you get.

For more information about what makes Keurig® brand pods so special, head to Keurig.com or refer to the User Guide section for more detailed information.



GREEN
MOUNTAIN
COFFEE®

**Breakfast
Blend**


KEURIG
BREWED®

THIS KEURIG™ K-CUP® COFFEE PACK

NOT LABELED FOR RETAIL SALE

KEURIG BREWED®

KEURIG BREWED®

KEURIG BREWED®

ANOTHER THING IT MAKES:

EVERYONE HAPPY

Whether your morning joe gives you grounds for celebration or mocha makes you over the moon, your Keurig® 2.0 brewer is able to brew over 350 varieties of coffee, tea, and hot cocoa, plus seasonal and café-style beverages.* But it doesn't stop there.

Your Keurig® 2.0 brewer is our best brewer yet and it's only going to get better. We'll be innovating every day to create even more single serve and carafe options to satisfy every mood and moment.

*Not all varieties may be available in your region.









Over 350 varieties from more than 50 gourmet brands*

START EXPLORING NOW!

Visit Keurig.com to see what's brewing.

*Not all varieties may be available in your region.



IMPORTANT SAFEGUARDS

When using electrical appliances, basic safety precautions should be followed, including the following:

1. Read all instructions before using.
2. Do not touch hot surfaces. Use handles and knobs when available.
3. This appliance must be properly installed and located in accordance with these instructions before it is used.
4. The use of accessory attachments not recommended by the appliance manufacturer may result in fire, electrical shock, or injury to persons.
5. Do not place on or near a hot gas or electric burner, or in a heated oven.
6. Do not use outdoors.
7. To protect against fire, electric shock, and injury do not immerse cords, plugs or the appliance in water or any other liquid.
8. Do not fill the Water Reservoir above the MAX FILL line.
9. **Use only water in this appliance!** Do not put any other liquids or foods in the Water Reservoir except as instructed in the cleaning instructions in this guide.
10. Turn off and unplug the brewer before cleaning or maintenance. Allow to cool before putting on or taking off parts and before cleaning the appliance.
11. For best operation, plug the appliance into its own electrical outlet on a dedicated circuit to prevent flickering of lights, blowing of fuses, or tripping a circuit breaker.
12. Do not operate any appliance with a damaged Power Cord or plug or after the appliance malfunctions or is damaged in any manner. Contact Keurig Customer Service to report any malfunction of or damage to the brewer.
13. Do not let the Power Cord hang over the edge of the table or counter, or touch hot surfaces.
14. To disconnect, press the Power Button on the brewer to “OFF” status and then remove the plug from the wall outlet.
15. Close supervision is necessary when any appliance is used by or near children.
16. **Do not lift the brewer handle while brewing is in progress.**

17. Always keep the Water Reservoir Lid on the Water Reservoir unless you are refilling it.
18. This appliance is equipped with a Power Cord having a grounding wire with a grounding plug. The appliance must be grounded using a 3-hole properly grounded outlet. In the event of an electrical short circuit, grounding reduces the risk of electrical shock.
19. If the outlet is a standard 2-prong wall outlet, it is your personal responsibility and obligation to have it replaced with a properly grounded 3-prong wall outlet.
20. Do not, under any circumstances, cut or remove the third (ground) prong from the Power Cord or use an adapter.
21. Consult a qualified electrician if the grounding instructions are not completely understood, or if doubt exists as to whether the appliance is properly grounded.
22. Do not use the appliance for other than its intended use.
23. Remove the shipping disk before brewing.

SAVE THESE INSTRUCTIONS.

WARNING TO USERS AND PARENTS:

1. DO NOT permit children to use the brewer unless there is adult supervision. Brewer dispenses very hot water.

2. SPECIAL NOTICE FOR HOT COCOA/OTHER USERS: IMMEDIATELY AFTER USING A HOT COCOA/OTHER POD, RUN A HOT WATER BREW CYCLE without a pod to avoid the possibility of clogging the exit needle. **DO NOT** assume the next user will do this.

WARNING

**RISK OF FIRE OR
ELECTRIC SHOCK
DO NOT OPEN**



WARNING: TO REDUCE THE RISK OF FIRE OR ELECTRIC SHOCK, DO NOT REMOVE THE BOTTOM COVER. NO USER SERVICEABLE PARTS ARE INSIDE. REPAIR SHOULD BE DONE BY AUTHORIZED SERVICE PERSONNEL ONLY.

CAUTION: There are three sharp needles that puncture pods, two above the Pod Holder and the other in the bottom of the Pod Holder. To avoid risk of injury, do not put your fingers in the Pod Holder Assembly.

CAUTION: There is extremely hot water in the Pod Holder during the brew process. To avoid risk of injury, do not lift the Handle or open the Pod Holder Assembly during the brewing process.

CAUTION: Do not fill above the MAX FILL line. If you fill the Water Reservoir above this point, you may occasionally get a larger brew than you selected for your first brew of the day. If you prefer to have your Water Reservoir filled to the top, we recommend you use a large mug for your first brew of the day to avoid any risk of overflow.

CAUTION: Please always keep the brewer in its upright position to avoid potential injury and/or damage to your brewer.

CAUTION: Very hot liquid. Adult supervision required.

SHORT CORD INSTRUCTIONS:

A short power supply cord is provided to reduce the

risk of becoming entangled in or tripping over a longer cord. Longer detachable power-supply cords or extension cords are available and may be used if care is exercised in their use. If an extension cord is used, (1) the marked electrical rating of the cord set or extension cord should be at least as great as the electrical rating of the appliance; (2) the cord should be arranged so that it will not drape over the countertop or tabletop where it can be pulled on by children or tripped over unintentionally; and (3) the extension cord must include a 3-prong grounding plug.

Your Keurig® 2.0 brewer will not work with pods that do not have the Keurig Brewed® seal on them.

Keurig® 2.0 brewers are not compatible with the My K-Cup® reusable filter accessory.

THIS PRODUCT IS FOR HOUSEHOLD USE ONLY.

WARNING

THIS PRODUCT CONTAINS CHEMICALS, INCLUDING LEAD, WHICH IS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS, OR OTHER REPRODUCTIVE HARM.

USER GUIDE TABLE OF CONTENTS

KEURIG® 2.0 BREWING SYSTEM | **K200 SERIES BREWER**

Features	14
Touch Display Controls	15

SECTION 1

Set-Up & Cleansing Brew	16
Brew Your First K-Cup® Pod	18
Brew Your First K-Carafe™ Pod	19

SECTION 2

Stopping the Brew Process	20
Adding Water	20
Dispensing Hot Water into a Mug	21
Settings Menu	22
Caring For Your Brewer	24
Maintenance Alerts	30
Recycling K-Carafe™ Pod Cups	33

SECTION 3

Troubleshooting	34
-----------------	----

SECTION 4

Warranty	36
----------	----

FEATURES



K200 SERIES BREWER

A. Water Reservoir Lid
B. Water Reservoir
C. Top Housing
D. Touch Display/Power Button

E. Brew Button
F. Handle
G. Brew Head
H. Power Cord
I. Drip Tray Plate


J. Drip Tray
K. Pod Holder
L. Housing (K and L are the Pod Holder Assembly)
M. Base

TOUCH DISPLAY CONTROLS




HOME SCREEN

- A. Settings Button
- B. Power Button



SCREEN FOR K-CUP® PODS

- A. STRONG
(only available for coffee)
- B. HOT COCOA/OTHER
(for select non-coffee beverages)
- C. Brew Size
- D. Power Button



SCREEN FOR K-CARAFE™ PODS

- A. KEURIG BREW™
Setting 1
- B. Brew Size
- C. Power Button


BREW SETTINGS (OUTLINE INDICATES DEFAULT SIZE)

K-CUP® PODS	K-CARAFE™ PODS	FUTURE KEURIG® BRAND PODS					
<p>READY</p> <p>4 oz</p> <p>6 oz</p> <p>8 oz</p> <p>10 oz</p>	<p>1</p> <p>2-3 CUPS</p> <p>3-4 CUPS</p> <p>4-5 CUPS</p>	<p>2</p> <p>12 oz</p> <p>14 oz</p>	<p>3</p> <p>12 oz</p> <p>14 oz</p>	<p>4</p> <p>4 oz</p> <p>6 oz</p> <p>8 oz</p> <p>10 oz</p>	<p>5</p> <p>STEP 1 FROTH</p> <p>4 oz</p> <p>STEP 2 BREW</p> <p>4 oz</p>	<p>6</p> <p>6 oz</p> <p>8 oz</p> <p>10 oz</p>	<p>1 2 3</p> <p>4 5 6</p> <p>Select Brew Setting </p> <p>KEURIG BREW™ SETTING SELECTION SCREEN</p> <p>Select the KEURIG BREW™ Setting that matches the number on the pod lid.</p>


SET-UP & CLEANSING BREW

SET-UP


1. Place the brewer on a counter and plug into a grounded outlet.




2. Lift the Handle, remove and discard the shipping disk.



3. Rinse the Water Reservoir, fill with bottled or filtered water, and return it to the brewer. Be sure to fill below the MAX FILL line and above the MIN FILL line.



4. Press the Power Button and wait for preheating to complete, about three minutes.




CLEANSING BREW

1. To begin a cleansing brew, place a 12 ounce mug on the Drip Tray.



2. Lift and lower the Handle. Do not place a Keurig® brand pod in the Pod Holder.



3. Press CONTINUE to dispense hot water. Select a 6 ounce Brew Size and press the Brew Button.




4. You are now ready to use your brewer!




BREW YOUR FIRST K-CUP® POD


1. Place a mug on the Drip Tray.
Select a K-Cup® pod, place firmly in the Pod Holder.
NOTE: Do not remove the foil lid or puncture the K-Cup® pod.



2. Lower the Handle.
CAUTION: There are sharp needles that puncture the K-Cup® pod above and below the Pod Holder. To avoid injury, do not put your fingers in the Pod Holder.
NOTE: Your Keurig 2.0 brewer will not work with pods that do not have a Keurig Brewed® seal on them.




3. Select a Brew Size. Select STRONG if desired. (STRONG setting is for coffee.)




Press HOT COCOA/OTHER for select non-coffee beverages.

NOTE: Make sure to check instructions on the K-Cup® pod packaging.



4. Press the Brew Button and enjoy your first cup!

CAUTION: There is extremely hot water in the K-Cup® pod during the brew process. To avoid injury, do not lift the Handle during the brew process.



1. Make sure the Keurig™ Carafe is empty. Remove the Drip Tray and insert the Keurig™ Carafe securely in its place.

NOTE: Do not remove the foil lid or puncture the K-Carafe™ pod.

NOTE: Refer to page 29 for Keurig™ Carafe operation.

Carafe Sold Separately
 Brewer only works with Keurig™ Carafes. To purchase a Keurig™ Carafe please visit Keurig.com



2. Select a K-Carafe™ pod, place firmly in the Pod Holder and lower the Handle.


CAUTION: There are sharp needles that puncture the K-Carafe™ pod above and below the Pod Holder. To avoid injury, do not put your fingers in the Pod Holder.

NOTE: Your Keurig™ 2.0 brewer will not work with pods that do not have a Keurig Brewed™ seal on them.




3. Select a Brew Size.

NOTE: Make sure the number on the Touch Display matches the number of the K-Carafe™ pod you're brewing in the pod holder.



4. Press the Brew Button and enjoy your first carafe of coffee!

CAUTION: There is extremely hot water in the K-Carafe™ pod during the brew process. To avoid injury, do not lift the Handle during the brew process.



STOPPING THE BREW PROCESS

FOR K-CUP® PODS AND K-CARAFE™ PODS (KEURIG BREW™ SETTING 1)


To stop the brewing process, press and hold the Power Button for one second. Remove and dispose of any used pod. Brewing a used pod is not recommended.




ADDING WATER

Your Keurig® 2.0 brewer will indicate when the water level in the Water Reservoir is low and you will not be able to brew. The brewer will only indicate “More Water Please.” if there is not enough to complete your brew.


For example: A Keurig™ Carafe will require more water than a 10 ounce mug.



1. Place a mug on the Drip Tray. Lift and lower the Handle without a pod.




2. Press CONTINUE to dispense hot water.




3. Select your Brew Size and press the Brew Button.



4. When the brew process is complete, the Touch Display will indicate Enjoy!



SETTINGS MENU




ACCESS SETTINGS

Explore everything your Keurig® 2.0 brewer has to offer by accessing the SETTINGS menu. From the home screen, select the Settings Button.

Use the arrows to scroll through the menu. To exit, press the back button.



Press the back button to return to the SETTINGS menu or press the HOME button to return to the home screen. Your settings will be automatically saved.



CHOOSE LANGUAGE

Press English, Spanish, or French to select the LANGUAGE.



Press the back button to return to the SETTINGS menu or press the HOME button to return to the home screen. Your settings will be automatically saved.



ENABLE HIGH ALTITUDE

To ensure your brewer works properly at higher altitudes (5,000 feet), ENABLE the HIGH ALTITUDE mode.

Press the back button to return to the SETTINGS menu or press the HOME button to return to the home screen. Your settings will be automatically saved.




ENABLE WATER FILTER REMINDER

If you are using a Keurig® Water Filter, select ENABLE to activate the WATER FILTER REMINDER notices.

Press the back button to return to the SETTINGS menu or press the HOME button to return to the home screen. Your settings will be automatically saved.

Refer to page 30 for more information.

CARING FOR YOUR BREWER




CLEANING THE BREWER EXTERIOR

Keep your Keurig® 2.0 brewer looking its best by cleaning the exterior from time to time. Just clean with a damp, soapy, lint-free, non-abrasive cloth. Never immerse the brewer in water or other liquids.



CLEANING THE DRIP TRAY

The Drip Tray can accumulate up to 8 ounces of overflow. The Drip Tray and the Drip Tray Plate should occasionally be rinsed clean. To remove the Drip Tray, simply slide it toward you, keeping it level at all times to avoid spilling. Clean with a damp, soapy, lint-free, non-abrasive cloth.



CLEANING THE WATER RESERVOIR AND THE WATER RESERVOIR LID

Clean the Water Reservoir and the Water Reservoir Lid with a damp, soapy, lint-free, non-abrasive cloth and rinse thoroughly.


Do not dry the inside of the Water Reservoir with a cloth as lint may remain. Be sure to rinse the Water Reservoir thoroughly after cleaning to ensure that no cleaning solutions remain as they may contaminate the water supply in the brewer.

DO NOT PLACE THESE ITEMS IN THE DISHWASHER.

CARING FOR YOUR BREWER

CLEANING THE POD HOLDER

1. Lift the Handle.



2. Push up while grabbing the sides of the Pod Holder Assembly. Pull away from the brewer.

CAUTION: Sharp needles. Do not put fingers in chamber.




3. Pull out the Pod Holder Assembly (1) and Base (2).



4. Press the release buttons on both sides of the Pod Holder Assembly.



Separate the Pod Holder from the Housing.



5. Clean the Pod Holder (1), Housing (2), and Base (3) with a damp, soapy, lint-free, non-abrasive cloth and rinse thoroughly.




CARING FOR YOUR BREWER

CLEANING THE EXIT NEEDLE

1. If a clog arises in the Exit Needle, push the lever of the Pod Holder to reveal the Exit Needle.




2. Use a paper clip or similar tool to loosen the clog. Rinse thoroughly with hot water.



3. After all pieces are cleaned, place the Base then the Pod Holder Assembly into the Brew Head. Lower the Handle.

CAUTION: Sharp needles. Do not put fingers in chamber.



KEURIG™ CARAFE OPERATION

The unique Keurig™ Carafe was specifically designed for use with the Keurig® 2.0 brewer. To connect the Keurig™ Carafe to the brewer, make sure the Keurig™ Carafe is securely inserted into the brewer. The Keurig® 2.0 brewer contains a sensory system that determines when the Keurig™ Carafe is in place and it is safe to begin brewing. If the Keurig™ Carafe is not in place or incorrectly inserted, the brewing process will not begin. If the Keurig™ Carafe is removed during brewing, brewing will stop.

CAUTION: Make sure the Keurig™ Carafe is empty before each use.


CAUTION: After brewing, the Keurig™ Carafe will contain extremely hot liquid. Take care when pouring from the Keurig™ Carafe. Never place your hand over the Keurig™ Carafe where hot steam is venting. Never allow children to use the Keurig™ Carafe or operate the brewer without adult supervision. Press the Power Button to terminate the brew process. Follow the instructions on the Touch Display before removing the Keurig™ Carafe. The brewer will return to the home screen. Remove and discard the used K-Carafe™ pod.

CAUTION: There is extremely hot water in the Pod Holder during the brew process. To avoid risk of injury, do not lift the Handle during the brewing process.

To maintain the ideal combination of taste, freshness, and temperature, we recommend preheating the Keurig™ Carafe. To preheat the Keurig™ Carafe, fill it with hot water for approximately 30 seconds and then pour out entirely prior to placing the Keurig™ Carafe into the brewer.

CAUTION: HAND-WASH ONLY. DO NOT SUBMERGE. DO NOT MICROWAVE.

NOTE: CARAFE NOT INCLUDED WITH BREWER.




MAINTENANCE ALERTS

Your brewer is designed to deliver the perfect cup time after time, year after year. To keep it working at peak performance, your Keurig® 2.0 brewer will let you know when it needs a little attention.

TIME TO REPLACE THE KEURIG® WATER FILTER (VISIT KEURIG.COM TO PURCHASE)

Your brewer will indicate “Time to replace the Water Filter.” after every 1,000 ounces or two months. Once you’ve replaced the Keurig™ Water Filter, press YES to reset the WATER FILTER REMINDER notices.



TIME TO DESCALE THE BREWER

Depending on the mineral content of your water, calcium deposits or scale may build up in your brewer, this is why we recommend using bottled or filtered water. Scale is non-toxic but if left unattended can hinder brewer performance. Regularly descaling your brewer every three to six months helps maintain the heating element, and other internal parts that come in contact with water. Calcium deposits may build up faster, making it necessary to descale more often.

You should promptly descale when the Touch Display indicates “Time to descale the brewer!” However, even if this is not indicated, you should continue to descale your brewer every three to six months.



DESCALING YOUR BREWER

Before you begin, you will need a large mug, fresh water, Keurig® Descaling Solution, and access to a sink. Do not use a paper cup.

- Empty the water from the Water Reservoir. If there is a Keurig™ Water Filter, remove and set aside.

STEP 1: FIRST DESCALING SOLUTION RINSE

- Press and hold the Power Button to power the brewer off.
- Pour the entire bottle of Keurig® Descaling Solution into the Water Reservoir. Then fill the empty bottle with water and pour into the Water Reservoir. Press and hold the Power Button to turn the brewer back on.
- Place a large mug on the Drip Tray and run a cleansing brew by lifting and lowering the Handle, selecting a 6 ounce Brew Size and pressing the Brew Button. The brewer will stop dispensing after 6 ounces. Do not use a Keurig brand pod. Pour the contents of the mug into the sink.

STEP 2: SECOND DESCALING SOLUTION RINSE

- Repeat the cleansing brew process until the Touch Display indicates “More Water Please.” Let the brewer stand for at least 30 minutes while still on.
- After 30 minutes, discard any residual solution and rinse the water reservoir thoroughly.

STEP 3: FRESH WATER RINSE

- Ensure the Water Reservoir is filled with fresh water to and not beyond the MAX FILL line.
- Place a large mug on the Drip Tray and run a cleansing brew. Pour the contents of the mug into the sink.
- Repeat the cleansing brew process at least 12 times. You may need to refill the Water Reservoir at least one time during this process.

NOTE: If “Time to descale the brewer!” is still indicated after completing the procedure, repeat the descaling procedure above.

MAINTENANCE ALERTS

DESCALING YOUR BREWER (CONTINUED)

The cleaning action of Keurig® Descaling Solution may result in a foam dispensed from the brewer. This is natural, as the solution is reacting with the scale inside. For a brewer that is heavily scaled, the brewer may not fill properly after the descaler is added. If this occurs, you may see only a small or no output dispensed followed by the sound of air blowing out. If this occurs:

- Turn off and unplug the brewer.
- If there is Keurig™ Descaling Solution in the Water Reservoir, discard the contents, rinse the Water Reservoir thoroughly and refill with bottled or filtered water.
- Plug the brewer back in, power on, and repeat STEP 3: FRESH WATER RINSE (refer to page 31). The brewer should begin to function normally as the solution is rinsed out and the scale is removed. If the problem persists, allow the brewer to sit unplugged for at least 30 minutes then continue with the fresh water rinse.

Scan this QR code with your smartphone for step-by-step videos on cleaning, descaling, and more. Or if you prefer, you can watch the videos online at Keurig.com



The plastic cups of K-Carafe™ pods can be recycled wherever #5 plastic is accepted. #5 plastic may not be recyclable in your community today, so please check locally with your municipality or waste hauler, or visit KeurigRecycling.com for more information. #5 plastic is recyclable everywhere in Canada.



1. Once brewing is complete, lift the Handle and carefully remove the K-Carafe™ pod by holding the outer rim.

CAUTION: The K-Carafe™ pod will be hot after brewing. Use caution when removing. Allow it to cool completely before handling.



2. Once cool, separate the lid and filter from the cup. The filter will adhere to the lid.



3. Once separated, discard the lid and the attached filter. Recycle your K-Carafe™ pod's plastic cup wherever #5 plastic is accepted.



TROUBLESHOOTING

BREWER DOES NOT HAVE POWER

- Plug the brewer into an independent outlet without dimmer control.
 - Check to be sure that the brewer is plugged in securely.
 - Plug the brewer into a different outlet.
 - Reset your home's circuit breaker if necessary.
 - Press and hold the Power Button and ensure the Touch Display is illuminated.
-

BREWER WILL NOT BREW

- After placing a pod in the Pod Holder, make sure the Handle is lowered completely and the Touch Display displays the appropriate brew screen. Follow the brewing instructions in SECTION 1 (refer to pages 18–19).
 - If the Touch Display indicates “More Water Please.” add water to the Water Reservoir or make sure the Water Reservoir is seated properly in its Base.
 - If the Touch Display indicates “More Water Please.” even after refilling, remove the Water Reservoir and empty the water. Then thoroughly clean (refer to page 25). Fill the Water Reservoir to the MAX FILL line, return it to the brewer and ensure it is seated properly in its Base.
 - The Pod Holder may need to be cleaned (refer to pages 26–27) or the brewer may need to be descaled (refer to pages 31–32).
 - If you have completed the above procedure two times and this situation persists, contact Customer Service at 1.866.901.BREW (2739).
-

BREWER BREWS ONLY A PARTIAL CUP

- Clean the Pod Holder if necessary (refer to pages 26–27).
- The Water Reservoir may have been removed during brewing. Replace the Water Reservoir and perform a cleansing brew (refer to page 17) without a pod.
- Descale the brewer (refer to pages 31–32).
- If you have repeated the descale procedure on your brewer two times and it is still only brewing a partial cup, contact Customer Service at 1.866.901.BREW (2739).

THE TOUCH DISPLAY INDICATES “MORE WATER PLEASE.”

- If the water level is not low, remove the Water Reservoir and empty the water. Then thoroughly clean (refer to page 25). Fill the Water Reservoir to the MAX FILL line, return it to the brewer and ensure it is seated properly in its Base.
-

THE K-CUP® POD HAS A KEURIG BREWED® SEAL, BUT TOUCH DISPLAY INDICATES “OOPS!”

- Your Keurig® 2.0 brewer will not work with pods that don't have the Keurig Brewed® seal on them. Some Keurig brand pods produced prior to January 2014 may not be enabled to work with the Keurig® 2.0 brewer. Please contact Customer Service at 1.866.950.2326 for a solution.

STILL HAVING TROUBLE? VISIT KEURIG.COM FOR MORE INFORMATION.

WARRANTY

LIMITED ONE YEAR WARRANTY

Keurig warrants that your brewer will be free of defects in materials or workmanship under normal home use for one year from the date of purchase. It is recommended that you fill out and return the warranty card enclosed with your brewer so that your purchase information will be stored in our system. Keurig will, at its option, repair or replace a defective brewer without charge upon its receipt of proof of the date of purchase. If a replacement brewer is necessary to service this warranty, the replacement brewer may be new or reconditioned. If a replacement brewer is sent, a new limited one year warranty will be applied to the replacement brewer.

This warranty only applies to brewers operated in the United States and Canada. This warranty gives you specific legal rights, and you may also have other rights that vary from state to state and, in the case of Canada, from province to province.

The Keurig® 2.0 brewer is designed to only work with Keurig brand pods. Any damage to or malfunction of your brewer resulting from the use of non-Keurig brand pods and accessories may not be covered by this warranty or may result in a service fee if the damage or malfunction is determined to be caused by such use.

WHAT IS NOT COVERED BY THE LIMITED WARRANTY?

THIS WARRANTY DOES NOT COVER CONSEQUENTIAL OR INCIDENTAL DAMAGES SUCH AS PROPERTY DAMAGE AND DOES NOT COVER INCIDENTAL COSTS AND EXPENSES RESULTING FROM ANY BREACH OF THIS WARRANTY, EVEN IF FORESEEABLE. Some states or provinces do not allow the exclusion or limitations of incidental or consequential damages, so the above limitation or exclusion may not apply to you depending on the state or province of purchase.

Nor does this warranty cover damages caused by use of non-Keurig brand pods or accessories, services performed by anyone other than Keurig or its authorized service providers, use of parts other than genuine Keurig parts, or external causes such as abuse, misuse, inappropriate power supply, or acts of God.

OTHER LIMITATIONS

THIS WARRANTY IS EXCLUSIVE AND IS IN LIEU OF ANY OTHER EXPRESS WARRANTY, WHETHER WRITTEN OR ORAL. IN ADDITION, KEURIG HEREBY SPECIFICALLY DISCLAIMS ALL OTHER WARRANTIES WITH RESPECT TO YOUR K200 BREWER, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE. Some states or provinces do not allow disclaimers of such implied warranties or limitations on how long an implied warranty lasts, so the above limitation may not apply to you depending on the state or the province of purchase.

HOW DO YOU OBTAIN WARRANTY SERVICE?

Keurig® brewers are high-quality appliances and, with proper care, are intended to provide years of satisfying performance. However, should the need arise for warranty servicing, simply call Keurig Customer Service at our toll-free phone number 1.866.901.BREW (2739). Please do not return your brewer for servicing without first speaking to Keurig Customer Service to obtain an Authorization to Return number (ATR). Keurig® brewers returned without an ATR number will be returned to the sender without servicing.

Keurig Green Mountain, Inc.
33 Coffee Lane
Waterbury, VT 05676
1.866.901.BREW (2739)



KEURIG

Keurig Green Mountain, Inc.

33 Coffee Lane

Waterbury, VT 05676

1.866.901.BREW (2739)

P/N | Pièce n° | Pieza n.º 60-201577-000 Rev B
11/14