

Dimmable CFL & LED bulbs

Approved for use with C•L™ dimmers

List updated Sept. 30, 2011
For the most
up-to-date list, visit
www.lutron.com/dimcflled



CFL bulbs* for wall-mounted C•L™ dimmers

Diva® C•L™: DWCL-153P, DVCL-153P, DVSCCL-153P
Skylark Contour™ C•L™: CTCL-153P
Lumea® C•L™: LGCL-153PH
Toggler®/Ariadni® C•L™: TGCL-153P, AYCL-153P



Brand	Model	Wattage	Description
ecosmart	ES5CCDF052	5W	Candle, Soft White
	BPESL11R20/DM/ESM	11W	R20, Soft White
	ES5R214DIM50K	14W	R20, Daylight
	ES5M40114	14W	Spiral, Soft White
	ESR315DIM	15W	R30 Flood, Soft White
	ES5R315DIM50K	15W	R30 Flood, Daylight
	ES5R315DIM35K	15W	R30 Flood, Bright White
	ES5M10123	23W	Spiral, Soft White
	ES5M40123	23W	Spiral, Soft White
Feit	BPESL11R20/DM	11W	R20
	LBP13T2C/DM	13W	Spiral, Candelabra base
	BPESL15T/DM	15W	Spiral
	BPESL23T/DM	23W	Spiral
GE	FLE15/2/DV/R30	15W	R30
	FLE15HT3/2/DV/SW	15W	Spiral
	FLE26HT3/2/DV/SW	26W	Spiral
	FLE26/2/DVR/40	26W	R40
Litetronics	MB-500D	5W	A19
	MB-500DL	5W	A19
	MB-800D	8W	A19
	MB-800DL	8W	A19
	MB-1100D	11W	BR30
	MB-15527D	15W	Post Light
	L-27527D	27W	Spiral
Philips	EL/mdT Dim 15W	15W	Spiral
	EL/A R30 Dim 16W	16W	R30
	EL/A R40 Dim 20W	20W	R40
	EL/A PAR38 Dim 20W	20W	Par 38
	EL/mdT Dim 20W	20W	Spiral
	EL/dt Dim 32W	32W	Spiral

* CFLs typically require a warmup period before their full dimming range is achieved.

Dimmable CFL & LED bulbs

Approved for use with C•L™ dimmers

List updated Sept. 30, 2011
For the most
up-to-date list, visit
www.lutron.com/dimcflled



CFL bulbs* for wall-mounted C•L™ dimmers

Diva® C•L™: DWCL-153P, DVCL-153P, DVSCCL-153P
Skylark Contour™ C•L™: CTCL-153P
Lumea® C•L™: LGCL-153PH
Toggler®/Ariadni® C•L™: TGCL-153P, AYCL-153P



Brand	Model	Wattage	Description
SYLVANIA	CF5EL/DEC/DIM	5W	Candle
	CF5EL/B10C/DIM/827/ADP	5W	Candle
	CF14EL/R20/DIM	14W	R20
	CF14EL/TWIST/DIM	14W	Spiral
	CF15EL/BR30/DIM	15W	R30
	CF19EL/BR40/DIM	19W	R40
	CF24EL/TWIST/DIM	24W	Spiral
TCP	8T03CL	3W	Candle Clear
	8TC05F	5W	Candle
	8A08WH	8W	A-bulb
	40114	14W	Spiral
	2R2014DIM	14W	R20
	4R2014TD	14W	R20, TruDim™, 2700K
	4R2014TD30K	14W	R20, TruDim, 3000K
	4R2014TD35K	14W	R20, TruDim, 3500K
	4R2014TD41K	14W	R20, TruDim, 4100K
	4R2014TD50K	14W	R20, TruDim, 5000K
	4R2014TD65K	14W	R20, TruDim, 6500K
	4R3016TD	16W	R30, TruDim, 2700K
	4R3016TD30K	16W	R30, TruDim, 3000K
	4R3016TD35K	16W	R30, TruDim, 3500K
	4R3016TD41K	16W	R30, TruDim, 4100K
	4R3016TD50K	16W	R30, TruDim, 5000K
	4R3016TD65K	16W	R30, TruDim, 6500K
	2R3016DIM	16W	R30
10123	23W	Spiral	
40123	23W	Spiral	
Utilitech	LBP11R20M	11W	R20
	LBP15TDM	15W	Spiral
	LBP23TDM	23W	Spiral

* CFLs typically require a warmup period before their full dimming range is achieved.

Dimmable CFL & LED bulbs

Approved for use with C•L™ dimmers

List updated Sept. 30, 2011
For the most
up-to-date list, visit
www.lutron.com/dimcflled



LED bulbs for wall-mounted C•L™ dimmers

Diva® C•L™: DWCL-153P, DVCL-153P, DVSCCL-153P

Skylark Contour™ C•L™: CTCL-153P

Lumea® C•L™: LGCL-153PH

Toggler®/Ariadni® C•L™: TGCL-153P, AYCL-153P



Brand	Model	Wattage	Description
Cooper Lighting	ML706827	13.8W	Halo® 6" Retrofit Module 2700K
	ML706830	13.8W	Halo 6" Retrofit Module 3000K
	ML706835	13.8W	Halo 6" Retrofit Module 3500K
	ML706840	13.8W	Halo 6" Retrofit Module 4000K
	AP706830WBST24 (ALED3T24)	14.6W	All-Pro 5 or 6" Retrofit Module & Trim
	RL706830E26WBS	14.6W	All-Pro™ 5 or 6" Retrofit Module & Trim
	RL706830WBS	14.6W	All-Pro 6" Retrofit Module & Trim w/ High-Efficacy Connector
	H455ICAT120D	15W	Halo 4" Housing H4 LED Series Downlight
Cree	CR6	10.5W	6" Downlight
	CR6-GU24	10.5W	6" Downlight
ecosmart	ECS 19 WW 120	8W	A19, Warm White, 3000K
	ECS 20 WW FL 120	8W	PAR20, Warm White, 3000K
	ECS 25 WW 120	8W	G25, Warm White, 3000K
	ECS A19 V1 CW 120	8W	A19, Daylight White, 4900K
	ECS A19 V1 WW 120	8W	A19, Warm White, 3000K
	CR6-575L	10.5W	6" Downlight
	ECS A19 V2 CW 120	13W	A19, Daylight White, 4900K
	ECS A19 V2 WW 120	13W	A19, Warm White, 3000K
Feit	PAR30L/DM/LED	13.5W	PAR30, 3000K
	PAR30LDM/5K/LED	13.5W	PAR30, 5000K
	18PAR38/DM/LED	18W	PAR38, 3000K

Dimmable CFL & LED bulbs

Approved for use with C•L™ dimmers

List updated Sept. 30, 2011
 For the most
 up-to-date list, visit
www.lutron.com/dimcflled



LED bulbs for wall-mounted C•L™ dimmers

Diva® C•L™: DWCL-153P, DVCL-153P, DVSCCL-153P
 Skylark Contour™ C•L™: CTCL-153P
 Lumea® C•L™: LGCL-153PH
 Toggler®/Ariadni® C•L™: TGCL-153P, AYCL-153P



Brand	Model	Wattage	Description
GE	LED7DP20B830/12	7W	PAR20, 3000K, Spot, Black Base
	LED7DP20B830/20	7W	PAR20, 3000K, Flood, Black Base
	LED7DP20B827/20	7W	PAR20, 2700K, Flood, Black Base
	LED7DP20W830/12	7W	PAR20, 3000K, Spot, White Base
	LED7DP20W830/20	7W	PAR20, 3000K, Flood, White Base
	LED7DP20W827/20	7W	PAR20, 2700K, Flood, White Base
	LED7DP20S830/20	7W	PAR20, 3000K, Flood, Silver Base
	LED7DP20S827/20	7W	PAR20, 2700K, Flood, Silver Base
	LED10DP30S830/20	10W	PAR30, 3000K, Short Neck, Silver Base
	LED10DP30S827/20	10W	PAR30, 2700K, Short Neck, Silver Base
	LED10DP30W827/20	10W	PAR30, 2700K, Short Neck, White Base
	LED10DP3LS830/20	10W	PAR30, 3000K, Long Neck, Silver Base
	LED10DP3LS827/20	10W	PAR30, 2700K, Long Neck, Silver Base
	LED20DP38S830/15	20W	PAR38, 3000K, Silver Base
	LED20DP38S830/25	20W	PAR38, 3000K, Silver Base
	LED20DP38S830/40	20W	PAR38, 3000K, Silver Base
	LED20DP38S827/15	20W	PAR38, 2700K, Silver Base
	LED20DP38S827/25	20W	PAR38, 2700K, Silver Base
	LED20DP38S827/40	20W	PAR38, 2700K, Silver Base

Dimmable CFL & LED bulbs

Approved for use with C•L™ dimmers

List updated Sept. 30, 2011
For the most
up-to-date list, visit
www.lutron.com/dimcflled



LED bulbs for wall-mounted C•L™ dimmers

Diva® C•L™: DWCL-153P, DVCL-153P, DVSCCL-153P

Skylark Contour™ C•L™: CTCL-153P

Lumea® C•L™: LGCL-153PH

Toggler®/Ariadni® C•L™: TGCL-153P, AYCL-153P



Brand	Model	Wattage	Description
Lighting Science	DFN 19 CW 120	8W	A19, Cool White, 5000K
	DFN 19 NW 120	8W	A19, Neutral White, 4000K
	DFN 19 W27 120	8W	A19, Warm White, 2700K
	DFN 19 WW 120	8W	A19, Warm White, 3000K
	DFN A19 V1 CW 120	8W	A19, Cool White, 5000K
	DFN A19 V1 NW 120	8W	A19, Neutral White, Neutral White, 4000K
	DFN A19 V1 W27 120	8W	A19, Warm White, 2700K
	DFN A19 V1 WW 120	8W	A19, Warm White, 3000K
	DFN A19 V2 CW 120	13.5W	A19, Cool White, 5000K
	DFN A19 V2 NW 120	13.5W	A19, Neutral White, Neutral White, 4000K
	DFN A19 V2 W27 120	13.5W	A19, Warm White, 2700K
	DFN A19 V2 WW 120	13.5W	A19, Warm White, 3000K
	DFN 20 CW FL 120	8W	PAR20, Cool White, 5000K
	DFN 20 CW NFL 120	8W	PAR20, Cool White, 5000K
	DFN 20 NW FL 120	8W	PAR20, Neutral White, 4000K
	DFN 20 NW NFL 120	8W	PAR20, Neutral White, 4000K
	DFN 20 W27 FL 120	8W	PAR20, Warm White, 2700K
	DFN 20 W27 NFL 120	8W	PAR20, Warm White, 2700K
	DFN 20 WW FL 120	8W	PAR20, Warm White, 3000K
	DFN 20 WW NFL 120	8W	PAR20, Warm White, 3000K
DFN 25 CW 120	8W	G25, Cool White, 5000K	
DFN 25 NW 120	8W	G25, Neutral White, 4000K	
DFN 25 W27 120	8W	G25, Warm White, 2700K	
DFN 25 WW 120	8W	G25, Warm White, 3000K	
Lumapro	8A19/LED/DIM/30	8W	A19, Warm White, 3000K (6GEM2)
	8A19/LED/DIM/50	8W	A19, Cool White, 5000K (6GEM3)
	8PAR20/LED/DIM30/NFL	8W	PAR20, Warm White, 3000K (6GEM4)
	8PAR20/LED/DIM50/NFL	8W	PAR20, Cool White, 5000K (6GEM5)
Philips	6E26R20	6W	R20
	7E26A60	7W	A19
	7E26PAR20-E	7W	PAR20
	8E26A60	8W	A19
	12E26A60	12W	A19

Dimmable CFL & LED bulbs

Approved for use with C•L™ dimmers

List updated Sept. 30, 2011
For the most
up-to-date list, visit
www.lutron.com/dimcflled



LED bulbs for wall-mounted C•L™ dimmers

Diva® C•L™: DWCL-153P, DVCL-153P, DVSCCL-153P
Skylark Contour™ C•L™: CTCL-153P
Lumea® C•L™: LGCL-153PH
Toggler®/Ariadni® C•L™: TGCL-153P, AYCL-153P



Brand	Model	Wattage	Description
SYLVANIA	LED8A/DIM/F/830	8W	A19, 3000K
	LED8A/DIM/F/827	8W	A19, 2700K
	LED8PAR20/DIM/830/NFL25	8W	PAR 20, 3000K, NFL
	LED8PAR20/DIM/830/FL36	8W	PAR 20, 3000K, FL
	LED8PAR20/DIM/827/NFL25	8W	PAR 20, 2700K, NFL
	LED8PAR20/DIM/827/FL36	8W	PAR 20, 2700K, FL
	LED8G25/DIM/F/830	8W	G25, 3000K
	LED8G25/DIM/F/827	8W	G25, 2700K
	LED10PAR30/DIM/SG/830/SP10	10W	PAR 30, 3000K, SP
	LED10PAR30/DIM/SG/830/WSP15	10W	PAR 30, 3000K, WSP
	LED10PAR30/DIM/SG/830/NFL25	10W	PAR 30, 3000K, NFL
	LED10PAR30/DIM/SG/827/SP10	10W	PAR 30, 2700K, SP
	LED10PAR30/DIM/SG/827/WSP15	10W	PAR 30, 2700K, WSP
	LED10PAR30/DIM/SG/827/NFL25	10W	PAR 30, 2700K, NFL
TCP	LED14E26P3027KFL	14W	LED 14W PAR30 Flood - 2700K
	LED14E26P3027KNFL	14W	LED 14W PAR30 Narrow Flood - 2700K
	LED14E26P3030KFL	14W	LED 14W PAR30 Flood - 3000K
	LED14E26P3030KFLBT	14W	BLACK PAR30, 40 DEGREE, TRACK LIGHT
	LED14E26P3030KFLWT	14W	WHITE PAR30, 40 DEGREE, TRACK LIGHT
	LED14E26P3030KNFL	14W	LED 14W PAR30 Narrow Flood - 3000K
	LED14E26P3030KNFLBT	14W	BLACK PAR30, 25 DEGREE, TRACK LIGHT
	LED14E26P3030KNFLWT	14W	WHITE PAR30, 25 DEGREE, TRACK LIGHT
	LED14E26P3041KFL	14W	LED 14W PAR30 Flood - 4100K
	LED14E26P3041KNFL	14W	LED 14W PAR30 Narrow Flood - 4100K
	LED14E26P3050KFL	14W	LED 14W PAR30 Flood - 5000K
	LED14E26P3050KNFL	14W	LED 14W PAR30 Narrow Flood - 5000K
	LED17E26P3827KFL	17W	LED 17W PAR38 Flood - 2700K
	LED17E26P3827KNFL	17W	LED 17W PAR38 Narrow Flood - 2700K
	LED17E26P3830KFL	17W	LED 17W PAR38 Flood - 3000K
	LED17E26P3830KFLBT	17W	BLACK PAR38, 40 DEGREE, TRACK LIGHT

Dimmable CFL & LED bulbs

Approved for use with C•L™ dimmers

List updated Sept. 30, 2011
 For the most
 up-to-date list, visit
www.lutron.com/dimcflled



LED bulbs for wall-mounted C•L™ dimmers

Diva® C•L™: DWCL-153P, DVCL-153P, DVSCCL-153P
 Skylark Contour™ C•L™: CTCL-153P
 Lumea® C•L™: LGCL-153PH
 Toggler®/Ariadni® C•L™: TGCL-153P, AYCL-153P



Brand	Model	Wattage	Description
TCP	LED17E26P3830KFLWT	17W	WHITE PAR38, 40 DEGREE, TRACK LIGHT
	LED17E26P3830KNFL	17W	LED 17W PAR38 Narrow Flood - 3000K
	LED17E26P3830KNFLBT	17W	BLACK PAR38, 25 DEGREE, TRACK LIGHT
	LED17E26P3830KNFLWT	17W	WHITE PAR38, 25 DEGREE, TRACK LIGHT
	LED17E26P3841KFL	17W	LED 17W PAR38 Flood - 4100K
	LED17E26P3841KNFL	17W	LED 17W PAR38 Narrow Flood - 4100K
	LED17E26P3850KFL	17W	LED 17W PAR38 Flood - 5000K
	LED17E26P3850KNFL	17W	LED 17W PAR38 Narrow Flood - 5000K
Utilitech	LPAR30LDM/LED	13.5W	PAR30, 3000K
	LPAR30LDM/5K/LED	13.5W	PAR30, 5000K
	LPAR38DM/LED	18W	PAR38, 3000K
	LPAR38DM/5K/LED	18W	PAR38, 5000K
Westinghouse	8A19/LED/DIM/30	8W	A19, Warm White, 3000K
	8A19/LED/DIM/50	8W	A19, Cool White, 5000K
	8PAR20/LED/DIM30/NFL	8W	PAR20, Warm White, 3000K
	8PAR20/LED/DIM50/NFL	8W	PAR20, Warm White, 5000K

Dimmable CFL & LED bulbs

Approved for use with C•L™ dimmers

List updated Sept. 30, 2011
 For the most
 up-to-date list, visit
www.lutron.com/dimcflled



CFL bulbs* for C•L™ lamp dimmers

Credenza® C•L™: TTCL-100H



Brand	Model	Wattage	Description
ecosmart	ES5M40114	14W	Spiral, Soft white
	ES5M10123	23W	Spiral, Soft white
	ES5M40123	23W	Spiral, Soft white
Feit	BPESL15T/DM	15W	Spiral
	BPESL23T/DM	23W	Spiral
Litetronics	MB-500D	5W	A19
	MB-500DL	5W	A19
	MB-800D	8W	A19
	MB-800DL	8W	A19
	MB-15527D	15W	Post Light
	L-27527D	27W	Spiral
Philips	EL/mdT Dim 15W	15W	Spiral
	EL/mdT Dim 20W	20W	Spiral
	EL/dt Dim 32W	32W	Spiral
SYLVANIA	CF14EL/TWIST/DIM	14W	Spiral
	CF24EL/TWIST/DIM	24W	Spiral
TCP	40114	14W	Spiral
	10123	23W	Spiral
	40123	23W	Spiral
Utilitech	LBP15TDM	15W	Spiral
	LBP23TDM	23W	Spiral

* CFLs typically require a warmup period before their full dimming range is achieved.

Dimmable CFL & LED bulbs

Approved for use with C•L™ dimmers

List updated Sept. 30, 2011
For the most
up-to-date list, visit
www.lutron.com/dimcflled



LED bulbs for C•L™ lamp dimmers

Credenza® C•L™: TTCL-100H



Brand	Model	Wattage	Description
ecosmart	ECS 19 WW 120	8W	A19, Warm White, 3000K
	ECS A19 V1 CW 120	8W	A19, Daylight White, 4900K
	ECS A19 V1 WW 120	8W	A19, Warm White, 3000K
	ECS A19 V2 CW 120	13W	A19, Daylight White, 4900K
	ECS A19 V2 WW 120	13W	A19, Warm White, 3000K
Lighting Science	DFN 19 CW 120	8W	A19, Cool White, 5000K
	DFN 19 NW 120	8W	A19, Neutral White, 4000K
	DFN 19 W27 120	8W	A19, Warm White, 2700K
	DFN 19 WW 120	8W	A19, Warm White, 3000K
	DFN A19 V1 CW 120	8W	A19, Cool White, 5000K
	DFN A19 V1 NW 120	8W	A19, Neutral White, Neutral White, 4000K
	DFN A19 V1 W27 120	8W	A19, Warm White, 2700K
	DFN A19 V1 WW 120	8W	A19, Warm White, 3000K
	DFN A19 V2 CW 120	13.5W	A19, Cool White, 5000K
	DFN A19 V2 NW 120	13.5W	A19, Neutral White, Neutral White, 4000K
	DFN A19 V2 W27 120	13.5W	A19, Warm White, 2700K
DFN A19 V2 WW 120	13.5W	A19, Warm White, 3000K	
Lumapro	8A19/LED/DIM/30	8W	A19, Warm White, 3000K (6GEM2)
	8A19/LED/DIM/50	8W	A19, Cool White, 5000K (6GEM3)
Philips	7E26A60	7W	A19
	8E26A60	8W	A19
	12E26A60	12W	A19
SYLVANIA	LED8A/DIM/F/830	8W	A19, 3000K
	LED8A/DIM/F/827	8W	A19, 2700K
Westinghouse	8A19/LED/DIM/30	8W	A19, Warm White, 3000K
	8A19/LED/DIM/50	8W	A19, Cool White, 5000K

www.lutron.com

Technical Support Center 1.800.523.9466

Customer Service 1.888.LUTRON1

© 09/2011 Lutron Electronics Co., Inc.