DIGILCDNDVR2 Quick Start Guide (iPhone)

The SecurityMan DIGILCDNDVR2 is designed for quick and easy installation. This guide will help you get your system connected to your mobile device in 2 easy steps.

Step 1 HARDWARE



Step 2 INSTALL APP & SCAN QR CODE

1. Open the App Store on your mobile device. Then search for and install the "**WatchBot**" application developed by "Long Xu". Once installed, tap on the "**WatchBot**" icon (Fig. 2.1), select "+" to add a new device (Fig. 2.2) and then select the "**Scan**" option (Fig. 2.3).



Add New Camera

 Search

 Scan

 Input

9:58 AM

AT&T ITE

Fig2.1

Fig2.2

ΓÎ

Fig2.3

2. Aim your camera at the QR Code located on the bottom of the dock station (Fig. 2.4) so that the app can capture your Device ID. Create a System name (Fig. 2.5) and enter the Device Password that is associated with your system (Fig. 2.6).

NOTE: The default password is 123456.

	●●●●○○ AT&T LTE 10:01 AM	●●●●○ AT&T LTE 10:01 AM * ► +
	Scan Add New Camera	Scan Add New Camera
		System name DigiLCDNDVR
	System name DigiLCDNDVR	DID HWATV0-000003-9M
	DID HWATV0-000003-9M	Password •••••
	Password	
		Save
	Save	
	Previous Next Done	Previous Next Done
	Q W E R T Y U I O P	1 2 3 4 5 6 7 8 9 0
	ASDFGHJKL	- / : ; () \$ & @ "
	T X C V B N M	#+= . , <u>? !</u> ' 🛛
	123 Q space Next	ABC space Done
Fig2.4	Fig2.5	Fig2.6

3. When you are done entering the Device Name and Password tap on "Save" (Fig. 2.7). Now select your device (Fig. 2.8) to bring up the live view screen (Fig. 2.9).

NOTE: When accessing your system for the first time, the app will prompt you for permission to use your phones microphone. Please tap "OK" if you would like to hear audio from your camera when available.

●●●○○ AT&T LTE 10:02 AM ※ 💶 →	••••• AT&T LTE 10:04 AM %	●●●○○ AT&T LTE 10:05 AM
Scan Add New Camera	WatchBot	K Back DigiLCDNDVR
System name DigiLCDNDVR	DigiLCDNDVR HWATV0-000003-9MACJM-MKCT23 Connected	
DID HWATV0-000003-9M		
Password •••••		
Save		
		P2P Mode, CH1, FPS: 70, Bitrate: 3
	+ Č Ú	
	5:-2 0	
FIY4./	FIG2.0	Eia2 C





ſĴ

DIGILCDNDVR2 Quick Start Guide (Android)

The SecurityMan DIGILCDNDVR2 is designed for quick and easy installation. This guide will help you get your system connected to your mobile device in 2 easy steps.

Step 1 HARDWARE



Step 2 INSTALL APP & SCAN QR CODE

1. Open the Play Store on your mobile device. Then search for and install the "**WatchBot**" application developed "Eric Xu". Once installed, tap on the "**WatchBot**" icon (Fig. 2.1), select "+" to add a new device (Fig. 2.2) and then select the "**QR Scan**" option (Fig. 2.3).



Fig2.1





Fig2.2

Fig2.3

2. Aim your camera at the QR Code located on the bottom of the dock station (Fig. 2.4) so that the app can capture your Device ID. Create a System name (Fig. 2.5) and enter the Device Password that is associated with your system (Fig. 2.6).

NOTE: The default password is 123456.



Fig2.4

Fig2.5

Fig2.6

3. When you are done entering the Device Name and Password tap on "**Save**" (Fig. 2.7). Now select your device (Fig. 2.8) to bring up the live view screen (Fig. 2.9).



Fig2.7







