

**Installs in
Minutes**

MONEY BACK GUARANTEE†

Spectracide

REPLACEMENT STAKES

TERMINATE[®]
TERMITE DETECTION & KILLING STAKES₂

Estacas para detectar y matar termitas₂

DOW

Made with
Dow Technology

REPLACEMENT STAKES

5
STAKES

Use to replace termite stakes already in use or for additional protection in termite critical areas

Spectracide

TERMINATE[®]

TERMITE DETECTION & KILLING STAKES₂

Estacas para detectar y matar termitas,

Pop-Up Indicator Detects Termite Activity

2

Kills Foraging Termites

PRODUCTS IN ONE!



Installs In Minutes • Money Back Guarantee[†]

For active infestations, contact a Dow[®] professional at 1-800-352-6776

EASY-TO-FIND LOCATOR SHIELDS



5 REPLACEMENT STAKES

Contains 5 - 0.25 oz Stakes
Contiene 5 estacas de 0.25 onzas

TOTAL NET WT
1.25 oz (35.4 g)

[†]For terms of guarantee, see bottom.

Active Ingredient:
Hexaflumuron 0.50%
Other Ingredients 99.50%

DO NOT ALLOW CHILDREN OR PETS TO PLAY WITH STAKES

CAUTION See back panel and enclosed booklet for additional precautionary information.

NO PERMITA QUE LOS NIÑOS NI LAS MASCOTAS JUEGUEN CON LAS ESTACAS

PRECAUCIÓN Consulte el panel posterior y el folleto incluido para conocer información adicional sobre las declaraciones preventivas.

See Directions for Use for more information.

NOT RECOMMENDED AS SOLE PROTECTION AGAINST TERMITES, & FOR ACTIVE INFESTATIONS, GET A PROFESSIONAL INSPECTION.

Para obtener más información, consulte el Modo de empleo.

NO SE RECOMIENDA COMO ÚNICA PROTECCIÓN CONTRA LAS TERMITAS, Y EN EL CASO DE INFESTACIONES ACTIVAS, SOLICITE UNA INSPECCIÓN PROFESIONAL.

†LIMITED WARRANTY • Satisfaction guaranteed or your money back. If within 15 months after purchase you are not satisfied with the product for any reason, return all of the termite stakes together with (a) the proof-of-purchase UPC code designation on the package and (b) the dated store receipt showing the price you paid to Spectrum Group, PO Box 142642, St. Louis, MO 63114-0642 with your request for replacement or refund. Please allow 6-8 weeks for processing.

This warranty is subject to these limitations: You must be the original purchaser of this product and you must follow all directions on the product label. This warranty does not apply if the products have been misused, abused or used in commercial applications. Replacement of the product or refund of the purchase price is your exclusive remedy. **This is Spectrum Group's only warranty of this product. Spectrum Group disclaims all other warranties to the extent permitted by law. This express warranty and any implied warranties of merchantability and fitness for a particular purpose shall not extend beyond the warranty period. Spectrum Group is not responsible for any incidental or consequential damages.** Some states do not allow limitations on how long implied warranties last, or on the exclusion or limitation of incidental or consequential damages, so the above limitations may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from state to state. This warranty is applicable only to products purchased and retained in the United States, its territories and possessions.

Please call Spectrum Group toll-free at 1-888-545-5837 if you have any questions about this warranty. **Your warranty is valid only upon your completing, signing and returning the registration card inside this box to Spectrum Group within thirty (30) days of your purchasing the product.**

To register online, visit www.spectracide.com, click on the Customer Help Tab and select "Warranty Registration".

Made in China
Distributed by Spectrum Group
Division of United Industries Corporation
PO Box 142642, St. Louis, MO 63114-0642
EPA Reg. No. 9688-299-8845
EPA Est. No. 81825-CHN-1
16-10544 © 2012 UIC
Dow® and the DOW DIAMOND
are ®Trademarks of
The Dow Chemical Company

Spectracide

TERMINATE[®]

TERMITE DETECTION & KILLING STAKES₂

Estacas para detectar y matar termitas₂

REPLACEMENT STAKES



EASY TO USE!

DETECT! Place stakes every 10 ft around home and 2 to 3 ft from the foundation



KILL! Subterranean termites around your house



REMEMBER! Use more stakes in termite critical areas

PROOF OF PURCHASE

0 71121 96116 7

Spectracide

TERMINATE[®] TERMITE DETECTION & KILLING STAKES₂

Estacas para detectar y matar termitas.

REPLACEMENT STAKES


STOP READ ENTIRE LABEL & INSTRUCTION MANUAL BEFORE USE. Complete directions for use are enclosed.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For outdoor use around the home.

1. GATHER TOGETHER:

- Spectracide Terminate[®] • Tape measure
- Termite Detection & Killing Stakes, and locator shields
- Auger
- Power drill (optional)




2. DETERMINE THE NUMBER OF STAKES YOU NEED. The number of stakes needed is determined by the distance around the outside of your house. To estimate, use the square footage of your home excluding your garage, attached decks, patios and porches. Home designs vary, but if you know the approximate square footage of your home, the chart will help you choose the number of stakes you need.

| | | |
|--------------------------------|-------------------|------------------------------|
| One-Story Home | Up to 1,200 sq ft | 1,200 to 2,500 sq ft or more |
| Two-Story Home | Up to 1,500 sq ft | 1,500 to 3,000 sq ft or more |
| Number of Stakes Needed | 10 STAKES | 20 STAKES |

3. PREPARE DRAWING OF YOUR HOUSE. Using the enclosed graph paper, make a drawing of the outside of your house. Note areas on the drawing such as doors, bushes, chimneys, etc., that will help you locate the stakes during the inspection process. Look for areas that are likely to support termite activity and note them on your drawing. These might include areas that retain moisture around downspouts, spigots, air conditioner lines and low areas with poor drainage.

4. INSTALL THE STAKES AROUND THE HOUSE. Using an auger, dig holes 2 to 3 ft away from the foundation and no more than 10 ft apart (DETAIL A). Insert the stakes with locator shield in the holes. Place stakes closer together in "termite critical" areas (DETAIL B). **Notice: Do not use auger for any purpose other than installation of the Spectracide Terminate[®] Termite Detection & Killing Stakes.**



5. INSPECT THE STAKES. Check the stakes for termite activity when the pop-up indicator is seen by pulling the stakes from the ground. The locator shields will help make removal of the stakes easier. It is important to check the stakes every three months. If you live in an area suspected to contain Formosan subterranean termites, the frequency of stake inspection should be increased to once a month.


Look for signs that the bait has been eaten (DETAIL C) or that termites are present inside the stake (DETAIL D).

If evidence of termite activity is found in any stake, take the following steps:

- 1) Replace the active stake with a new stake;
- 2) Install additional stakes (three or more) within one foot of the infested stake; and
- 3) Note the date, the location and the additional stakes on your drawing.

All stakes must be replaced or removed every 12 months. Be sure to wash your hands thoroughly after completing the inspection.

Do not reuse the bait cartridges. Subterranean termites secrete colony-specific pheromones that become incorporated into the bait while feeding and foraging. The pheromones left in the bait by one colony will cause feeding deterrence or repugnance to other colonies, causing it to be ineffective.



STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in original container in a dry storage area. **Pesticide Disposal:** Product not disposed of by use according to label directions should be wrapped in paper and placed in a trash can.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals • CAUTION. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

First Aid • If on Skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice. Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment. You may also contact 1-888-545-5837 for emergency medical treatment information.

Environmental Hazards • This product is highly toxic to aquatic invertebrates and possibly to fish. Do not use bait cartridges in depressions; low areas; near ponds, streams, springs or other water sources; or near downspout openings when the bait or its hexaflumuron contents could be washed out of the bait cartridge into water at or near the surface of the ground.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

Questions & Comments? Call 1-888-545-5837 or visit our website at www.spectracide.com


ALTO ANTES DE USAR, LEA TODA LA ETIQUETA Y EL MANUAL DE INSTRUCCIONES. Se incluyen las instrucciones completas.

MODO DE EMPLEO

Se considera una violación a la ley federal usar este producto de una manera que no sea la indicada en la etiqueta. Para usar en espacios exteriores alrededor de la casa.

1. JUNTE LO SIGUIENTE:

- Estacas para detectar y matar termitas; y escudos detectores de Spectracide Terminate[®]
- Cinta para medir
- Papel cuadrículado incluido
- Barrena
- Taladro eléctrico (opcional)




2. DETERMINE LA CANTIDAD DE ESTACAS QUE NECESITA. La cantidad necesaria de estacas la determina la distancia que hay alrededor del exterior de su casa. Para calcularla, utilice la superficie en pies cuadrados de su casa, sin incluir su cochera, plataformas, patios y porches anexos. Los diseños de las casas varían, pero si conoce la superficie aproximada en pies cuadrados de su casa, la tabla le servirá de ayuda para decidir la cantidad de estacas que necesita.

| | | |
|---------------------------------------|----------------------------|------------------------------------|
| Casa de un piso | Hasta 1,200 pies cuadrados | 1,200 a 2,500 pies cuadrados o más |
| Casa de dos pisos | Hasta 1,500 pies cuadrados | 1,500 a 3,000 pies cuadrados o más |
| Cantidad de estacas necesarias | 10 ESTACAS | 20 ESTACAS |

3. HAGA UN DIBUJO DE SU CASA. Usando el papel cuadrículado incluido, haga un dibujo del exterior de su casa. Marque en el dibujo zonas tales como puertas, arbustos, chimeneas, etc., que le ayudará a localizar las estacas durante el proceso de inspección. Busque zonas que tengan probabilidad de mantener actividad de termitas y márquelas en su dibujo. Estas pueden ser zonas que retienen la humedad alrededor de tubos de desagüe, grifos, tubos de aire acondicionado y zonas bajas con drenaje insuficiente.

4. INSTALE LAS ESTACAS ALREDEDOR DE LA CASA. Usando una barrena, cave orificios a una distancia de 2 a 3 pies de los cimientos y separados entre sí por no más de 10 pies (DETAIL A). Inserte las estacas con el escudo detector en los orificios. Coloque las estacas más próximas entre sí en las zonas "con riesgo de termitas" (DETAIL B). **Nota: No use la barrena para ningún otro fin que la instalación de las estacas para detectar y matar termitas, de Spectracide Terminate[®].**



5. INSPECCIONE LAS ESTACAS. Cuando se ve el indicador emergente, revise las estacas sacándolas de la tierra, para comprobar si hay actividad de termitas. El escudo detector hará que sea más fácil quitar las estacas. Es importante controlar las estacas cada tres meses. Si vive en una zona donde se sospecha que hay termitas subterráneas de Formosa, debe aumentar la frecuencia de las inspecciones a una vez por mes.

Busque señales que indiquen que el cebo fue comido (DETAIL C) o de la presencia de termitas en la estaca (DETAIL D).

Si encuentra evidencia de actividad de termitas en alguna estaca, siga los pasos siguientes:

- 1) Reemplace la estaca activa con una nueva;
- 2) Instale estacas adicionales (tres o más) a una distancia no superior a un pie de la estaca infestada; y
- 3) Anote la fecha y ubicación de todas las estacas adicionales en el dibujo de su casa.

Se deben reemplazar o retirar todas las estacas cada 12 meses. Asegúrese de lavarse muy bien las manos después de realizar la inspección.

No vuelva a usar los cartuchos de cebo. Las termitas subterráneas segregan feromonas específicas de cada colonia que se incorporan al cebo al alimentarse y merodear. Las feromonas que deja una colonia en el cebo disuaden o repelen a otras colonias, lo que lo hace ineficaz.

ALMACENAMIENTO Y ELIMINACIÓN

No contamine el agua ni los alimentos para personas y animales por medio del almacenamiento o la eliminación.

Almacenamiento del pesticida: Guarde en su envase original en un lugar seco. **Eliminación del pesticida:** El producto que no se elimine con el uso según las instrucciones en la etiqueta se debe envolver en papel y desechar en la basura.

DECLARACIONES PREVENTIVAS

Riesgos para los seres humanos y los animales domésticos • PRECAUCIÓN. Nocivo si se absorbe por la piel. Evite el contacto con la piel, los ojos o la ropa. Lávese muy bien con agua y jabón después de manipularlo y antes de comer, beber, masticar chicle, usar tabaco o usar el baño. Quite la ropa contaminada y lávela antes de volverla a usar.

Primeros Auxilios • Si entra en contacto con la piel: Quite la ropa contaminada. Lave inmediatamente la piel con abundante agua durante 15 a 20 minutos. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento. Cuando llame a un centro de control de envenenamientos o a un médico, o intente obtener tratamiento, tenga a la mano el envase o la etiqueta del producto. También puede llamar al 1-888-545-5837 para obtener información acerca del tratamiento médico de urgencia.

Riesgos para el medio ambiente • Este producto es extremadamente tóxico para los invertebrados acuáticos y posiblemente los peces. No use los cartuchos de cebo en depresiones; zonas bajas; cerca de estancos, arroyos, manantiales ni otras fuentes de agua; ni cerca de aberturas de tubos de desagüe cuando el cebo o su contenido de hexaflumuron pueda ser arrastrado del cartucho de cebo al agua o cerca de la superficie de la tierra.

NOTA: Hasta el grado que sea compatible con la legislación pertinente, el comprador asume toda la responsabilidad para seguridad y uso que no estén de acuerdo con las instrucciones.

¿Preguntas o comentarios? Llame al 1-888-545-5837.

Spectracide

TERMINATE[®] TERMITE DETECTION & KILLING STAKES₂

Estacas para detectar y matar termitas,

REPLACEMENT STAKES

**5
STAKES**

Use to replace termite stakes already in use or for additional protection in termite critical areas




under or around deck or crawl space
debajo o alrededor de la plataforma o el túnel de servicio



● = Termite favorable area
Zona favorable para las termitas

more stakes
in moist areas
más estacas en
zonas húmedas



Place stakes 2 to 3 ft away from home and no more than 10 ft apart.
Coloque las estacas a una distancia de 2 a 3 pies de la casa y no más de 10 pies de separación entre sí.