

MATERIALS: INSTALLATION: UNIQUE FEATURE:

Anodized Aluminum Excursions (Track) and Zinc Die Cast (Mounting Brackets). Bronze Finish is Powder Coated. Detailed Instructions and Hardware Included for Easy Installation. Constructed of Corrosion Resistant Anodized Alumninum.

48" - 60" Track Assembly Kit

WARRANTY:


Fits 48" Shower Doors with an Opening min/max of 43 3/8" - 47 3/8" (110cm-120cm), with a Height of 71" (180cm). Fits 60" Shower Doors with an Opening min/max of 50 1/8" - 58 1/2" (127cm-149cm), with a Height of 71" (180cm). 5 Year Limited Warranty.



TECHNICAL DATA

Shower Door

SLIDING SHOWER 48" & 60" GLASS PANELS



MATERIALS: INSTALLATION: UNIQUE FEATURE:

1/4" (6mm) Tempered Glass Panel

Detailed Instructions and Hardware Included for Easy Installation.

Spot Guard Easy Clean Coating.

Traditional:

48": Fits Doors with an Opening min/max of 43 3/8" - 47 3/8" (110cm-120cm), with a Height of 70" (178cm). 60": Fits doors with an opening min/max of 50 1/8" - 59 3/8" (127cm-151cm), with a Height of 70" (178cm).

Contemporary:

48": Fits Doors with an Opening min/max of 43 3/8" - 47 3/8" (110cm-120cm), with a Height of 71" (180cm). 60": Fits Doors with an Opening min/max of 50 1/8" - 58 1/2" (127cm-149cm), with a Height of 71" (180cm). 5 Year Limited Warranty.


WARRANTY:



TECHNICAL DATA

Shower Door

MANDARATM HANDLE



MATERIALS: Zinc Posts for all, Aluminum Bar: Brushed Nickel, Oil Rubbed Bronze, and Polished Brass. Stainless Steel Bar: Polished Chrome.

 INSTALLATION:
 Detailed Instructions and Hardware Included for Easy Installation.

 UNIQUE FEATURE:
 Coordinates with Delta® Faucets and Bath Hardware. Compatible with All Delta® Sliding Bathtub or Shower Doors.

WARRANTY: 5 Year Limited Warranty.

