



# Solar Floating Lily Pond Light


**REMINDER**  
CALL 1-888-412-6001  
BEFORE RETURNING TO STORE.



**Questions, problems, missing parts?** Before returning to your retailer, call our customer service department at 1-888-412-6001, 8 a.m.-6 p.m., EST, Monday-Friday, or email us at [customercare@geoglobalpartners.com](mailto:customercare@geoglobalpartners.com). Or visit our website [www.totalpond.com](http://www.totalpond.com).

## PACKAGE CONTENTS

Part	Description	Quantity
A	Solar floating lily	1



## WARNINGS AND CAUTIONS

### WARNING

Do not use in heavily chlorinated water, such as swimming pools. It will shorten the life of the product and void the warranty.

## PREPARATION

Before beginning assembly or operation of product, make sure all parts are present. Compare parts with package contents list and diagram above. If any part is missing or damaged, do not attempt to assemble, install or operate the product. Contact customer service for replacement parts.

- Estimated Assembly Time: 2 minutes
- No Tools Required for Assembly.

## NOTES

The charge and battery life ratings are under direct sunlight. Overcast and inclement weather will decrease performance. To maximize charge time and performance, position the solar panel in direct sunlight for as much time possible. Charge the batteries for one full day in clear sunny weather before initial use.

- Battery Charge Time: 4 hours
- Battery Life Time: 6 hours

## OPERATION INSTRUCTIONS

1. Open the box and carefully remove the solar lily. Turn it over and hold it upside down. Remove the pull-tab from the solar lily. If this is not removed, the solar lily will not operate Fig. 1




Fig. 1

2. Turn over the solar lily and peel off the protective film on the solar panel. Place the lily light in the pond. Fig. 2




Fig. 2

## REPLACING THE BATTERY

1. Turn the solar lily over and hold it upside down. Turn the battery cover counterclockwise and pull. Fig. 3




Fig. 3

2. Carefully remove the battery and replace with new battery in the same orientation and of the same model and type (size AAA, Ni-MH type). Fig. 4




Fig. 4

3. Replace the battery cover. Be sure to replace the o-ring when replacing the battery cover. Without the o-ring, water will leak into the solar lily and damage the battery. Fig. 5




Fig. 5

## CARE AND MAINTENANCE

---

- Regular cleaning of the solar lily may be necessary, depending upon the environment in which it will be used.
- Clean the lily when the light is visibly soiled, or when the light appears to be dim.
- Use warm, soapy water when cleaning the light and solar panel. Be sure to use biodegradable soap.

## TROUBLESHOOTING

---

If the solar lily fails to operate:


- Be sure that the pull tab has been removed from the battery.
- Be sure that the solar panel is clear of obstruction or dirt.
- Check the battery to make sure it is making full contact with the terminal.

## REPLACEMENT PARTS LIST

---

For replacement parts, call our customer service department at 1-888-412-6001, 8 a.m.-6 p.m., EST, Monday-Friday.

Part	Description
B	O-ring
C	Battery cover



## 90-DAY LIMITED WARRANTY

---

The warranty gives you specific rights, and you may have other rights that vary from state to state. This Solar Floating Lily is warranted for 90 days. The warranty period begins on the date of purchase by the original purchaser. The manufacturer will replace parts due to defects in workmanship. Warranty covers only properly installed and maintained units. Batteries contained in the solar panel housing are not covered under this warranty. Warranty claims must be made by returning the defective parts, freight pre-paid, along with proof of purchase and a dated store receipt to:

GeoGlobal Partners  
1727 Old Okeechobee Rd  
West Palm Beach, FL 33409  
Attn: Customer Service

Printed in China