

Safety Data Sheet According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations Revision Date: 11/13/2015 Date of issue: 11/13/2015

Version: 1.0

## **SECTION 1: IDENTIFICATION**

### **Product Identifier**

#### Product Form: Mixture

**Product Name:** Orange Glo<sup>™</sup> Hardwood Floor 4 in 1 Monthly Polish

#### **Intended Use of the Product**

Wood floor cleaner and polish.

#### Name, Address, and Telephone of the Responsible Party

Manufacturer Church & Dwight 500 Charles Ewing Blvd Ewing Township, NJ 08628 T 1-800-524-1328

#### www.churchdwight.com

#### **Emergency Telephone Number**

Emergency Number : For Medical Emergency: 1-888-234-1828, For Chemical Emergency: 1-800-424-9300 (CHEMTREC)

### **SECTION 2: HAZARDS IDENTIFICATION**

This product is labeled in accordance with regulations administered by the Consumer Product Safety Commission (CPSC). The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Occupational Safety and Health Administration applicable to this SDS differ from the labeling requirements of the CPSC and, as a result, this SDS may contain additional health hazard information not pertinent to consumer use and not found on the product label. **Classification of the Substance or Mixture** 

**GHS-US classification** Repr. 2 H361 Full text of H-phrases: see section 16

### Label Elements

**GHS-US Labeling** Hazard Pictograms (GHS-US)



Signal Word (GHS-US) Hazard Statements (GHS-US)	<ul> <li>Warning</li> <li>H361 - Suspected of damaging fertility or the unborn child.</li> </ul>
Precautionary Statements (GHS-US)	: P201 - Obtain special instructions before use.
	P202 - Do not handle until all safety precautions have been read and understood. P280 - Wear protective gloves, protective clothing, and eye protection.
	P308+P313 - If exposed or concerned: Get medical advice/attention.
	P405 - Store locked up.
	P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

### **Other Hazards**

Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions. Unknown Acute Toxicity (GHS-US) Not available

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

#### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Mixture			
Name	Product Identifier	% (w/w)	GHS-US classification
Diethylene glycol monomethyl ether	(CAS No) 111-77-3	1 - 5	Acute Tox. 3 (Dermal), H311
			Repr. 2, H361
Diethylene glycol monoethyl ether	(CAS No) 111-90-0	1 - 5	Flam. Liq. 4, H227
Zinc oxide	(CAS No) 1314-13-2	< 1	Aquatic Acute 1, H400
			Aquatic Chronic 1, H410

The specific chemical identity and/or exact percentage of composition have been withheld as a trade secret [29 CFR 1910.1200]. A range of concentration as prescribed by the Controlled Products Regulations has been used where necessary, due to varying composition.

### **SECTION 4: FIRST AID MEASURES**

#### **Description of First Aid Measures**

General: Never give anything by mouth to an unconscious person. If exposed or concerned: Get medical advice/attention.

**Inhalation:** When symptoms occur: go into open air and ventilate suspected area. Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/doctor/physician if you feel unwell.

**Skin Contact:** Remove contaminated clothing and shoes. Flush with plenty of water for at least 15 minutes. Seek medical advice if irritation develops or persists. Wash contaminated clothing before reuse.

**Eye Contact:** Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. Obtain medical attention if irritation persists.

Ingestion: Rinse mouth. Do NOT induce vomiting. Get medical advice and attention if you feel unwell.

#### Most Important Symptoms and Effects Both Acute and Delayed

General: Suspected of damaging fertility or the unborn child.

Inhalation: May cause respiratory irritation.

Skin Contact: May cause skin irritation

Eye Contact: May cause eye irritation.

Ingestion: Ingestion is likely to cause adverse effects.

Chronic Symptoms: Suspected of damaging fertility or the unborn child.

#### Indication of Any Immediate Medical Attention and Special Treatment Needed

If medical advice is needed, have product container or label at hand.

#### SECTION 5: FIRE-FIGHTING MEASURES

#### Extinguishing Media

Suitable Extinguishing Media: Use extinguishing media appropriate for surrounding fire.

Unsuitable Extinguishing Media: For surrounding fire. Use of heavy stream of water may spread fire.

#### **Special Hazards Arising From the Substance or Mixture**

Fire Hazard: Not flammable.

Explosion Hazard: Product is not explosive.

**Reactivity:** Hazardous reactions will not occur under normal conditions.

#### Advice for Firefighters

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire. Under fire conditions, hazardous fumes will be present.

Firefighting Instructions: Use water spray or fog for cooling exposed containers.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection. **Hazardous Combustion Products**: Carbon oxides (CO, CO<sub>2</sub>).

**Reference to Other Sections** 

Refer to section 9 for flammability properties.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Do not get in eyes, on skin, or on clothing. Do not breathe vapor, mist or spray. Spilled material may present a slipping hazard.

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

#### For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

#### For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

**Emergency Procedures:** Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods,

protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

### **Environmental Precautions**

Prevent entry to sewers and public waters. Avoid release to the environment.

#### Methods and Material for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

**Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Absorb spillage to prevent material damage. **Reference to Other Sections** 

#### See Costion 9. Europeuro Controlo and Demonal Drate

See Section 8, Exposure Controls and Personal Protection. See Section 13, Disposal Considerations.

### **SECTION 7: HANDLING AND STORAGE**

#### **Precautions for Safe Handling**

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do not eat, drink or smoke when using this product.

#### **Conditions for Safe Storage, Including Any Incompatibilities**

Technical Measures: Comply with applicable regulations.

Storage Conditions: Store in a dry, cool and well-ventilated place. Keep container tightly closed.

Incompatible Materials: Strong acids. Strong bases. Strong oxidizers.

#### Specific End Use(s)

Wood floor cleaner and polish.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control Parameters**

For substances listed in section 3 that are not listed here, there are no established Exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), Canadian provincial governments, or the Mexican government

Zinc oxide (1314-13-2)		
Mexico	OEL TWA (mg/m³)	5 mg/m³ (fume)
		10 mg/m³ (dust)
Mexico	OEL STEL (mg/m <sup>3</sup> )	10 mg/m³ (fume)
USA ACGIH	ACGIH TWA (mg/m³)	2 mg/m <sup>3</sup> (respirable fraction)
USA ACGIH	ACGIH STEL (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (respirable fraction)
USA OSHA	OSHA PEL (TWA) (mg/m³)	5 mg/m³ (fume)
		15 mg/m <sup>3</sup> (total dust)
		5 mg/m <sup>3</sup> (respirable fraction)
USA NIOSH	NIOSH REL (TWA) (mg/m³)	5 mg/m <sup>3</sup> (dust and fume)
USA NIOSH	NIOSH REL (STEL) (mg/m <sup>3</sup> )	10 mg/m³ (fume)
USA NIOSH	NIOSH REL (ceiling) (mg/m <sup>3</sup> )	15 mg/m³ (dust)
USA IDLH	US IDLH (mg/m <sup>3</sup> )	500 mg/m³
Alberta	OEL STEL (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (respirable)
Alberta	OEL TWA (mg/m³)	2 mg/m <sup>3</sup> (respirable)
British Columbia	OEL STEL (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (respirable)
British Columbia	OEL TWA (mg/m³)	2 mg/m <sup>3</sup> (respirable)
Manitoba	OEL STEL (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (respirable fraction)
Manitoba	OEL TWA (mg/m³)	2 mg/m <sup>3</sup> (respirable fraction)
New Brunswick	OEL STEL (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (fume)
New Brunswick	OEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (particulate matter containing no Asbestos and

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

teeoranig to reactar hegister / voi. /			
		<1% Crystalline silica, dust)	
		5 mg/m <sup>3</sup> (fume)	
Newfoundland & Labrador	OEL STEL (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (respirable fraction)	
Newfoundland & Labrador	OEL TWA (mg/m³)	2 mg/m <sup>3</sup> (respirable fraction)	
Nova Scotia	OEL STEL (mg/m³)	10 mg/m <sup>3</sup> (respirable fraction)	
Nova Scotia	OEL TWA (mg/m³)	2 mg/m <sup>3</sup> (respirable fraction)	
Nunavut	OEL STEL (mg/m³)	10 mg/m³ (fume)	
Nunavut	OEL TWA (mg/m³)	5 mg/m³ (fume)	
		5 mg/m <sup>3</sup> (dust, respirable mass)	
		10 mg/m <sup>3</sup> (total mass-dust)	
Northwest Territories	OEL STEL (mg/m³)	10 mg/m <sup>3</sup> (dust and fume; respirable fraction)	
Northwest Territories	OEL TWA (mg/m³)	2 mg/m <sup>3</sup> (dust and fume; respirable fraction)	
Ontario	OEL STEL (mg/m³)	10 mg/m <sup>3</sup> (respirable)	
Ontario	OEL TWA (mg/m³)	2 mg/m <sup>3</sup> (respirable)	
Prince Edward Island	OEL STEL (mg/m³)	10 mg/m <sup>3</sup> (respirable fraction)	
Prince Edward Island	OEL TWA (mg/m³)	2 mg/m <sup>3</sup> (respirable fraction)	
Québec	VECD (mg/m <sup>3</sup> )	10 mg/m³ (fume)	
Québec	VEMP (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (containing no Asbestos and <1% Crystalline	
		silica-total dust)	
		5 mg/m³ (fume)	
Saskatchewan	OEL STEL (mg/m³)	10 mg/m <sup>3</sup> (dust and fume, respirable fraction)	
Saskatchewan	OEL TWA (mg/m³)	2 mg/m <sup>3</sup> (dust and fume, respirable fraction)	
Yukon	OEL STEL (mg/m³)	10 mg/m³ (fume)	
Yukon	OEL TWA (mg/m³)	5 mg/m³ (fume)	
		30 mppcf (dust)	
		10 mg/m³ (dust)	
Diethylene glycol monoethy	Diethylene glycol monoethyl ether (111-90-0)		
USA AIHA	WEEL TWA (ppm)	25 ppm	
Ontario	OEL TWA (mg/m³)	165 mg/m <sup>3</sup>	
Ontario	OEL TWA (ppm)	30 ppm	
Exposure Controls			

#### Exposure Controls

**Appropriate Engineering Controls:** For occupational/workplace settings: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

**Personal Protective Equipment:** For occupational/workplace settings and bulk quantities: Gloves. Protective goggles. Protective clothing.



Materials for Protective Clothing: For occupational/workplace settings: Chemically resistant materials and fabrics.

Hand Protection: For occupational/workplace settings: Wear chemically resistant protective gloves.

Eye Protection: For occupational/workplace settings: Chemical goggles or safety glasses.

Skin and Body Protection: For occupational/workplace settings: Wash contaminated clothing before reuse.

**Respiratory Protection:** If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. **Other Information:** When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES		
Information on Basic Physical and Chemical Properties		
Physical State	:	Liquid
Appearance	:	Opaque, white
Odor	:	Orange fragrance

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Odor Threshold	•	Not available
pH		9.1
Evaporation Rate	÷	Not available
-	:	Not available
Melting Point	·	
Freezing Point	:	Not available
Boiling Point	:	> 100 °C (212 °F)
Flash Point	:	Not available
Auto-ignition Temperature	:	Not available
Decomposition Temperature	:	Not available
Flammability (solid, gas)	:	Not available
Lower Flammable Limit	:	Not available
Upper Flammable Limit	:	Not available
Vapor Pressure	:	Not available
Relative Vapor Density at 20 °C	:	Not available
Relative Density	:	Not available
Specific Gravity	:	1.02
Solubility	:	Not available
Partition Coefficient: N-Octanol/Water	:	Not available
Viscosity	:	Not available
Explosion Data – Sensitivity to Mechanical Impact	:	Not expected to present an explosion hazard due to mechanical impact
Explosion Data – Sensitivity to Static Discharge	:	Not expected to present an explosion hazard due to static discharge

### **SECTION 10: STABILITY AND REACTIVITY**

**<u>Reactivity</u>:** Hazardous reactions will not occur under normal conditions.

**<u>Chemical Stability</u>**: The product is stable at normal handling and storage conditions.

**Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.

**<u>Conditions to Avoid</u>**: Extremely high or low temperatures. Incompatible materials.

Incompatible Materials: Strong acids. Strong bases. Strong oxidizers.

Hazardous Decomposition Products: Thermal decomposition generates: Carbon oxides (CO, CO<sub>2</sub>).

### SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects - Product

Acute Toxicity: Not classified LD50 and LC50 Data: Not available

Skin Corrosion/Irritation: Not classified

Serious Eye Damage/Irritation: Not classified

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Teratogenicity: Not available

Carcinogenicity: Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

**Reproductive Toxicity:** Suspected of damaging fertility or the unborn child.

Specific Target Organ Toxicity (Single Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: May cause respiratory irritation

Symptoms/Injuries After Skin Contact: May cause skin irritation

Symptoms/Injuries After Eye Contact: May cause eye irritation

Symptoms/Injuries After Ingestion: Ingestion is likely to cause adverse effects.

**Chronic Symptoms:** Suspected of damaging fertility or the unborn child.

#### Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

11/13/2015

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Zinc oxide (1314-13-2)			
LD50 Oral Rat	> 5000 mg/kg		
LD50 Dermal Rat	> 2000 mg/kg		
Diethylene glycol monomethyl ether (12	11-77-3)		
LD50 Oral Rat	4 ml/kg		
LD50 Dermal Rabbit	650 mg/kg		
Diethylene glycol monoethyl ether (111	-90-0)		
LD50 Oral Rat	6031 mg/kg		
LC50 Inhalation Rat	> 5240 mg/m <sup>3</sup> (Exposure time: 4 h)		
SECTION 12: ECOLOGICAL INFORM	IATION		
Toxicity			
Zinc oxide (1314-13-2)			
LC50 Fish 1	780 μg/l (Exposure time: 96 h - Species: Pimephales promelas)		
EC50 Daphnia 1	0.122 mg/l		
NOEC chronic fish	0.026 mg/l (Species: Jordanella floridae)		
Diethylene glycol monomethyl ether (12	11-77-3)		
LC50 Fish 1	7500 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])		
EC50 Daphnia 1	> 500 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
LC50 Fish 2	7500 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)		
Diethylene glycol monoethyl ether (111-90-0)			
LC50 Fish 1	10000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])		
EC50 Daphnia 1	3940 - 4670 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
LC50 Fish 2	19100 - 23900 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])		
Persistence and Degradability			
Orange Glo <sup>™</sup> Hardwood Floor 4 in 1 Mo			
Persistence and Degradability	ersistence and Degradability May cause long-term adverse effects in the environment.		
Bioaccumulative Potential			
Orange Glo™ Hardwood Floor 4 in 1 Monthly Polish			
Bioaccumulative Potential	Bioaccumulative Potential Not established.		
Diethylene glycol monomethyl ether (12	11-77-3)		
Log POW	-0.682		
Diethylene glycol monoethyl ether (111	-90-0)		
Log POW	-0.8		
Mobility in Soil			

No additional information available.

#### **Other Adverse Effects**

Other Information: Avoid release to the environment.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

Sewage Disposal Recommendations: Do not empty into drains; dispose of this material and its container in a safe way. Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

### **SECTION 14: TRANSPORT INFORMATION**

In Accordance with DOTNot regulated for transportIn Accordance with IMDGNot regulated for transportIn Accordance with IATANot regulated for transportIn Accordance with TDGNot regulated for transport

### **SECTION 15: REGULATORY INFORMATION**

**US Federal and International Regulations** 

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations Orange Glo™ Hardwood Floor 4 in 1 Monthly Polish			
SARA Section 311/312 Hazard Classes	Delayed (chronic) health hazard		
Zinc oxide (1314-13-2)			
Listed on the AICS (Australian Inventory of Chemical Substance	s)		
Listed on the Canadian DSL (Domestic Substances List)			
Listed on IECSC (Inventory of Existing Chemical Substances Proc	duced or Imported in China)		
Listed on the EEC inventory EINECS (European Inventory of Exis	ting Commercial Chemical Substances)		
Listed on the Japanese ENCS (Existing & New Chemical Substan	ces) inventory		
Listed on the Korean ECL (Existing Chemicals List)			
Listed on NZIOC (New Zealand Inventory of Chemicals)			
Listed on PICCS (Philippines Inventory of Chemicals and Chemic			
Listed on the United States TSCA (Toxic Substances Control Act)	) inventory		
Listed on the Canadian IDL (Ingredient Disclosure List)			
Listed on INSQ (Mexican national Inventory of Chemical Substa	nces)		
Listed on Turkish inventory of chemical			
Diethylene glycol monomethyl ether (111-77-3)			
Listed on the AICS (Australian Inventory of Chemical Substance	s)		
Listed on the Canadian DSL (Domestic Substances List)			
Listed on IECSC (Inventory of Existing Chemical Substances Proc			
Listed on the EEC inventory EINECS (European Inventory of Exis			
	Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory		
Listed on the Korean ECL (Existing Chemicals List)			
Listed on NZIOC (New Zealand Inventory of Chemicals)			
	Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory			
Listed on the Canadian IDL (Ingredient Disclosure List)			
Listed on INSQ (Mexican national Inventory of Chemical Substances)			
Listed on Turkish inventory of chemical			
Diethylene glycol monoethyl ether (111-90-0)	<u></u>		
Listed on the AICS (Australian Inventory of Chemical Substance	S)		
Listed on the Canadian DSL (Domestic Substances List)			
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)			
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)			
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory			
Listed on the Korean ECL (Existing Chemicals List)			
Listed on NZIOC (New Zealand Inventory of Chemicals)			
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)			
Listed on the United States TSCA (Toxic Substances Control Act) inventory			
Listed on the Canadian IDL (Ingredient Disclosure List)			
Listed on INSQ (Mexican national Inventory of Chemical Substances)			
Listed on Turkish inventory of chemical			
US State Regulations			

Zinc oxide (1314-13-2)		
U.S Connecticut - Hazardous Air Pollutants - HLVs (30 min)		
U.S Connecticut - Hazardous Air Pollutants - HLVs (8 hr)		
U.S Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations		
U.S Idaho - Non-Carcinogenic Toxic Air Pollutants - Emission Levels (ELs)		
U.S Idaho - Occupational Exposure Limits - TWAs		
RTK - U.S Massachusetts - Right To Know List		
U.S Michigan - Occupational Exposure Limits - STELs		
U.S Michigan - Occupational Exposure Limits - TWAs		

U.S. - Minnesota - Hazardous Substance List

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

U.S Minnesota - Permissible Exposure Limits - STELs
U.S Minnesota - Permissible Exposure Limits - TWAs
U.S New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - 24-Hour
U.S New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - Annual
RTK - U.S New Jersey - Right to Know Hazardous Substance List
U.S New York - Occupational Exposure Limits - TWAs
U.S North Dakota - Air Pollutants - Guideline Concentrations - 1-Hour
U.S North Dakota - Air Pollutants - Guideline Concentrations - 8-Hour
U.S Oregon - Permissible Exposure Limits - TWAs
RTK - U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List
RTK - U.S Pennsylvania - RTK (Right to Know) List
U.S Tennessee - Occupational Exposure Limits - STELs
U.S Tennessee - Occupational Exposure Limits - TWAs
U.S Texas - Effects Screening Levels - Long Term
U.S Texas - Effects Screening Levels - Short Term
U.S Vermont - Permissible Exposure Limits - STELs
U.S Vermont - Permissible Exposure Limits - TWAs
U.S Washington - Permissible Exposure Limits - STELs
U.S Washington - Permissible Exposure Limits - TWAs
Diethylene glycol monomethyl ether (111-77-3)
U.S Massachusetts - Oil & Hazardous Material List - Groundwater Reportable Concentration - Reporting Category 1
U.S Massachusetts - Oil & Hazardous Material List - Groundwater Reportable Concentration - Reporting Category 2
U.S Massachusetts - Oil & Hazardous Material List - Reportable Quantity
U.S Massachusetts - Oil & Hazardous Material List - Soil Reportable Concentration - Reporting Category 1
U.S Massachusetts - Oil & Hazardous Material List - Soil Reportable Concentration - Reporting Category 2
RTK - U.S Massachusetts - Right To Know List
RTK - U.S Pennsylvania - RTK (Right to Know) List
U.S Texas - Effects Screening Levels - Long Term
U.S Texas - Effects Screening Levels - Short Term
Diethylene glycol monoethyl ether (111-90-0)
U.S Minnesota - Hazardous Substance List
U.S Texas - Effects Screening Levels - Long Term
U.S Texas - Effects Screening Levels - Short Term
Conservation Dependenties

### **Canadian Regulations**

Canadian Regulations		
Orange Glo™ Hardwood F	Floor 4 in 1 Monthly Polish	
WHMIS Classification	Class D Division 2 Subdivision B - Toxic material causing other toxic effects	
Zinc oxide (1314-13-2)		
Listed on the Canadian DS	SL (Domestic Substances List)	
Listed on the Canadian IDI	L (Ingredient Disclosure List)	
IDL Concentration 1 %		
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria	
Diethylene glycol monom	nethyl ether (111-77-3)	
Listed on the Canadian DS	SL (Domestic Substances List)	
Listed on the Canadian IDI	L (Ingredient Disclosure List)	
IDL Concentration 1 %		
Diethylene glycol monoet	thyl ether (111-90-0)	
Listed on the Canadian DS	SL (Domestic Substances List)	
11/12/2015	EN (English LIS)	8/0

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Listed on the Canadian IDL (Ingredient Disclosure List)		
IDL Concentration 1 %		
WHMIS Classification Class B Division 3 - Combustible Liquid		
	Class D Division 2 Subdivision B - Toxic material causing other toxic effects	

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

### SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Revision Date: 11/13/2015Other Information: This document has been prepared in accordance with the SDS requirements of the OSHA<br/>Hazard Communication Standard 29 CFR 1910.1200. This product is labeled in accordance<br/>with regulations administered by the Consumer Product Safety Commission (CPSC). The use<br/>pattern and exposure in the workplace are generally not consistent with those experienced<br/>by consumers. The requirements of the Occupational Safety and Health Administration<br/>applicable to this SDS differ from the labeling requirements of the CPSC and, as a result,<br/>this SDS may contain additional health hazard information not pertinent to consumer use<br/>and not found on the product label.

#### **GHS Full Text Phrases:**

Acute Tox. 3 (Dermal)	Acute toxicity (dermal) Category 3
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Flam. Liq. 4	Flammable liquids Category 4
Repr. 2	Reproductive toxicity Category 2
H227	Combustible liquid
H311	Toxic in contact with skin
H361	Suspected of damaging fertility or the unborn child
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

#### Party Responsible for the Preparation of This Document

Church & Dwight 500 Charles Ewing Blvd Ewing Township, NJ 08628 T 1-800-524-1328

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

Church&Dwight NA GHS SDS