

# Eway LED Area Light

LED Flood light (065 Pioneer 32W)



### Product Features

- Ultra-think Streamline body
- High lumens output efficiency
- Excellent waterproof performance
- UV resistant, no need to worry discolor

### Ratings

- ETL FCC listed, suitable for wet locations
- IP65 rated
- Shatterproof IK08
- Complies with the material restrictions of RoHS
- Temperature rated at -40°C to 50°C

### Housings & Finishing

- Die-casting Aluminum
- Clear Glass Lens
- Meets 1.5G vibration standards
- Corrosion resistant polyester powder paint
- Standard colors: Black

### Sensors

- Photoelectric control
  - Contact manufacturer for availability
- Motion sensor, Contact manufacturer for availability

### LED & Optics

- Philips LUXEON 3030 2D chip
- 110° beam angle
- CRI > 75
- 3000K, 4000K, 5000K, 5700K for option
- Actual light efficiency: 110-115lm/w

### Electric

- 100-277 VAC 50/60Hz
- System power option: 32 Watts
- System power factor: >0.92
- THD <20%

### Mountings

- Bracket mounting


### Lumens Maintenance

- Projected L70>54,000 hours per IES TM-21
- Projected Lxx per IES TM-21 at 25°C for reference


### Dimmable

- Dimmable, Contact manufacturer for availability


Photometric



Product dimension



Packing drawings



Logistic data

Order code	Inner box	Shipping carton	Measurement	Volume	G.W
EW-FL-W030	26.0*19.5*5.0cm	20pcs per carton	53.5*40.5*26.0cm	0.056CBM	N/A

Eway(HK) Globallighting Technology Co., Ltd  
 Shenzhen Eway Technology Co., Ltd  
 Email: [eway@ewayled.com](mailto:eway@ewayled.com)  
 Skype: [eway\\_led](https://www.skype.com/name/eway_led) Mobile: +86 13510909673  
[www.ewayled.com](http://www.ewayled.com)    [www.ewayled.com.cn](http://www.ewayled.com.cn)    [www.ewayled.cn](http://www.ewayled.cn)



# LED'S GO GREEN!