



Assembly Manual


Retractable Canopy for 12X12 Breeze Pergola

Outdoor Living Today

Revision 1
May 25th/2012

Important:

Drive Beam can only be installed in the same direction as the 12x12 Pergola Joists (Part D). Be sure to confirm orientation of the Pergola before installation.



Care and Maintenance -


Our canopies are designed to be maintenance free. Reasonable care to remove accumulated dirt and debris is all that is required to get 10 or more years of enjoyment out of your Breeze Pergola Canopy.

Customers agree to hold Outdoor Living Today and any Authorized Dealers free of any liability for improper installation, maintenance and repair of any Outdoor Living Today products.

In the event of a missing or broken piece, simply call the Outdoor Living Today Customer Support Line @ 1-888-658-1658 within 30 days of the delivery of your purchase. It is our commitment to you to courier replacement parts, free of charge, within 10 business days of this notification. Replacement parts will not be provided free of charge after the 30 day grace period.

12x12 Breeze Pergola Retractable Canopy Parts List

Parts List




8 - 1 1/2" screws




1 - Canopy Pull Handle



6 - Canopy Locking Clips
(2 1/2" long x 1 1/4" wide)



1 - Drive Beam - 144" long



1 - Canopy Fabric and Aluminum Wings - 132" long

Tools Required (Not Provided)



Screw Gun/Drill



Level



Tape Measure



Wood Clamp



Ladders

Safety Equipment Required (Not Provided)



Safety Glasses



Work Gloves


Installation of the Outdoor Living Today Retractable Canopy couldn't be easier.


A. Attach the Drive Beam to Outside Girder with supplied screws.

B. Connect Canopy Fabric with Aluminum Wing Supports to Drive Beam with supplied Locking Clips.


C. Using Canopy Pull Handle, retract the Canopy and tighten to desired position!

Installation will require 2 people.






1. To make it easier to install Retractable Canopy Drive Beam, we recommend leaving center Ladder Sections off until Drive Beam and Canopy are attached.





2. Find center point on Girder between Posts (66 1/2") and mark.




3. With Step ladders and another helper, lift up the Drive Beam and center on Girder. Be sure to decide first what end you want to designate as the stationary end of the Drive Beam. ie. The Canopy will always gather on this end and may block your view.


4. Position Drive Beam so it is even with the top of the Girder as illustrated to the right. Drive Beam should be evenly spaced between Pergola Posts (66 1/2"). before attaching. Secure with 4- 1 1/2" screws per end.



Note: there are 6 Wings, 6 Locking Clips and 6 Rolling Brackets.






5. With your helper, carefully lift up Canopy Fabric with Aluminum Wing. Starting with 1st Wing, line up holes with Drive Beam Rolling Bracket.




6. With holes lined up, slide Canopy Locking Clip through holes and lock Wing to Bracket.

For the first Clip, you will need to start from the outside and then move to the inside for subsequent Clips. See **Step 8** for a better perspective of alignment of remaining Clips,







7. From the inside of the Breeze, attach 2nd Canopy Locking Clip to Canopy Wing.




2nd Canopy Locking Clip.




8. Complete remaining Canopy Locking Clip / Wing attachments.







9. With Drive Beam and Canopy secured, attach Pergola Ladder Sections as per **Step 17** of Breeze Pergola Main Assembly Manual.



10. To retract the Canopy, locate the Canopy Pull Handle and place end into Locking I-Bolt. The Canopy can be locked and unlocked by turning the I-Bolt with the Pull Handle.



11. To retract the Canopy, unscrew locking I-Bolt with the Handle and pull the Canopy to desired length and lock. To close, follow same procedure. Be sure to place Canopy Pull Handle in safe and secure location for future use.




Congratulations on installing your Retractable Canopy for the 12x12 Breeze Pergola from Outdoor Living Today



Care and Maintenance -

Our canopies are designed to be maintenance free. Reasonable care to remove accumulated dirt and debris is all that is required to get 10 or more years of enjoyment out of your Breeze Pergola Canopy.



We hope your experience assembling your pergola has been both positive and rewarding.

We value your feedback and would like to hear back from you on how well we are doing in the following areas:

1. Customer Service
2. On Time Shipping
3. Motor Freight Delivery
4. Quality of Materials
5. Assembly Manual
6. Overall Satisfaction.



The materials contained in this Assembly Manual may be downloaded or copied provided that ALL copies retain the copyright and any other proprietary notices contained on the materials. No material may be modified, edited or taken out of context such that its use creates a false or misleading statement or impression as to the positions, statements or actions.

Please call, write or email us at:

Outdoor Living Today

Canadian Address	United States Address
9393 287th Street	P.O. Box 96
Maple Ridge, British Columbia	Sumas, Washington
Canada V2W 1L1	USA 98295

Toll Line: 1.888.658.1658

Fax: 1.604.462.5333

sales@outdoorlivingtoday.com