Material Safety Data Sheet				
POOL TIME® ALGICIDE PLUS®				
Version: 1.1	Revision Date: 12/27/2010	Print Date: 11/02/2011		
SECTION 1. PRODUCT AND CO	JMPANY IDENTIFICATION			
Product name:	POOL TIME® ALGICIDE PLUS®			
Product Use Description:	Recreational Water Product			
Registration number:	5185-473-67262			
Company:	Recreational Water Products Pool Time			
	PO Box 1449 Buford, GA			
	30515-1449			
	Telephone: (800) 949-7946			
Emergency telephone number:	CHEMTREC: (24 hours) 800-424-9300, 703-527-3887 Poison Control Center (Medical) :: (877) 800-5553			
	For additional emergency telephone numbers see section 16 of	the Safety Data Sheet.		
Prepared by:	<u>Product Safety Department</u> (US) +1 866-430-2775			
	+011-886-2-2712-5668 MSDSRequest@chemtura.com			

SECTION 2. HAZARDS IDENTIFICATION

<u>Form</u> : liquid	<u>Colour</u> : blue green <u>Odour</u> : mild acidic
Hazard Summary	: Harmful if swallowed. Irritating to eyes. Avoid breathing vapors. Do not get in eyes, on skin, or on clothing.
OSHA Hazards	: THIS MATERIAL IS HAZARDOUS UNDER THE CRITERIA OF TH FEDERAL OSHA HAZARD COMMUNICATION STANDARD 29CF 1910.1200.
.0	1 / 8 SDS Number: 00000005168

Motorial Safaty Data Shoot			
Material Safety Data Sheet POOL TIME® ALGICIDE PLUS®			
POOL TIME® ALGIC			
Version: 1.1	Revision Date: 12/27/2010	Print Date: 11/02/2011	
		I	
Potential Health Effects			
Primary Routes of Entry	: Eye contact Ingestion		
Inhalation	: Not expected to present a significant inhalation haza conditions of normal use.	rd under anticipated	
Skin	: Not expected to cause skin irritation under normal us	se conditions.	
Eyes	: Causes eye irritation.		
Ingestion	: Harmful if swallowed.		
Chronic Exposure	: None known.		

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Component	CAS-No.	Weight percent
copper	7440-50-8	3.3 %
Trade Secret 020		< 2 %

SECTION 4. FIRST AID MEASURES

Inhalation	: Remove to fresh air. Give oxygen or artificial res	
Skin contact	 Call a POISON CENTER o Remove contaminated clot Rinse immediately with ple Call a POISON CENTER o 	hing and shoes. nty of water for at least 15 minutes.
Eye contact	: Rinse immediately with ple	nty of water for at least 15 minutes. present, after 5 minutes, then continue rinsing eye.
Ingestion	doctor. Have person sip a glass of	ess told to do so by the poison control center or
6.0	2/8	SDS Number: 00000005168

Material Safety Data Sheet POOL TIME® ALGICIDE PLUS®			
ersion: 1.1	Revision Date: 12/27/2010	Print Date: 11/02/201	
CTION 5. FIRE-FIGHTING MEA	SURES		
Flammable properties			
Flash point	: Remarks: not applicable		
Fire fighting			
Suitable extinguishing media	: Use extinguishing measures that are appropriate t surrounding environment.	o local circumstances and the	
Protective equipment and pr	ecautions for firefighters		
Special protective equipment for fire-fighters	: In the event of fire, wear self-contained breathing a Thoroughly decontaminate fire fighting equipment wearing apparel after the incident.		
CTION 6. ACCIDENTAL RELE	SE MEASURES		
Environmental precautions	: Do not flush into surface water or sanitary sewer s	ystem.	
Methods for containment / Methods for cleaning up	 Using appropriate protective clothing and safety equaterial. Soak up with inert absorbent material. Using clean dedicated equipment, sweep and scorcontaminated soil, and other contaminated material containers for disposal. 	op all spilled material,	
Additional advice	: Treat recovered material as described in the section		

SECTION 7. HANDLING AND STORAGE

Handling		
Handling procedures	equipment. Wash hands thoroughly with drinking or using tobacco.	, , , , , , , , , , , , , , , , , , ,
Storage		
Requirements for storage areas and containers	: Store in original container. Store in a cool, dry, well ven Keep out of reach of children Keep away from animals.	tilated area away from heat or open flame. า.
6.0	3/8	SDS Number: 00000005168

Material Safety Data Sheet

POOL TIME® ALGICIDE PLUS®

Version: 1.1

Revision Date: 12/27/2010

Print Date: 11/02/2011

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Components with workplace control parameters

Components / CAS-No.	Value / Basis / Update	Control parameters	Further information
Trade Secret 020	C ACGIH 2007-01-01	2 mg/m3	
	C OSHA P0 1989-01-19	2 mg/m3	

Engineering measures

Engineering measures	 Use with adequate ventilation. Ensure that eyewash stations and safety showers are close to the workstati location. 	on

Personal protective equipment

Eye protection	: Safety glasses with side-shields
Hand protection	: No special protective equipment required. Wear as appropriate: Rubber gloves
Hygiene measures	: Wash contaminated clothing before reuse.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance		
Form	: liquid	
Colour	: blue green	
Odour	: mild acidic	
Safety data		
Flash point	: Note: not applicable	
SAP 6.0	4 / 8	SDS Number: 00000005168

OOL TIME® ALGICI	Material Safety Data Sheet DE PLUS®		
/ersion: 1.1 Revision Date: 12/27/2010 Print Date: 11/02/20			
pH	: 2-3 : 1.18 at		
Specific Gravity	· 1.10 at		
CTION 10. STABILITY AND F	REACTIVITY		
Conditions to avoid	: Remarks: High temperatures. Poor ventilation.		
	Contamination		
Materials to avoid	: Remarks: Oxidizing agents		
	Do not mix with other swimming pool/spa chemicals in their concentrated forms.		
Hazardous decomposition	: Note: Carbon oxides		
products	Copper oxides Sulphur oxides		
Hazardous reactions CTION 11. TOXICOLOGICAL	: Hazardous polymerisation does not occur.		
CTION 11. TOXICOLOGICAL Acute oral toxicity Acute inhalation toxicity	INFORMATION : LD50: 3,501 mg/kg		
CTION 11. TOXICOLOGICAL Acute oral toxicity Acute inhalation toxicity copper	INFORMATION : LD50: 3,501 mg/kg Species: rat :		
CTION 11. TOXICOLOGICAL Acute oral toxicity Acute inhalation toxicity	INFORMATION : LD50: 3,501 mg/kg		
CTION 11. TOXICOLOGICAL Acute oral toxicity Acute inhalation toxicity copper	INFORMATION : LD50: 3,501 mg/kg Species: rat : : LD50: > 5,000 mg/kg Species: rabbit : Species: rabbit		
CTION 11. TOXICOLOGICAL Acute oral toxicity Acute inhalation toxicity copper Acute dermal toxicity	INFORMATION : LD50: 3,501 mg/kg Species: rat : : LD50: > 5,000 mg/kg Species: rabbit		
CTION 11. TOXICOLOGICAL Acute oral toxicity Acute inhalation toxicity copper Acute dermal toxicity	INFORMATION : LD50: 3,501 mg/kg Species: rat : : LD50: > 5,000 mg/kg Species: rabbit : Species: rabbit		
CTION 11. TOXICOLOGICAL Acute oral toxicity Acute inhalation toxicity copper Acute dermal toxicity Skin irritation	INFORMATION : LD50: 3,501 mg/kg Species: rat : : LD50: > 5,000 mg/kg Species: rabbit : Species: rabbit Result: No skin irritation		
CTION 11. TOXICOLOGICAL Acute oral toxicity Acute inhalation toxicity copper Acute dermal toxicity Skin irritation Eye irritation Sensitisation copper	 INFORMATION LD50: 3,501 mg/kg Species: rat LD50: > 5,000 mg/kg Species: rabbit Species: rabbit Result: No skin irritation Remarks: Moderate eye irritation 		
CTION 11. TOXICOLOGICAL Acute oral toxicity Acute inhalation toxicity copper Acute dermal toxicity Skin irritation Eye irritation Sensitisation	 INFORMATION LD50: 3,501 mg/kg Species: rat LD50: > 5,000 mg/kg Species: rabbit Species: rabbit Result: No skin irritation Remarks: Moderate eye irritation 		
CTION 11. TOXICOLOGICAL Acute oral toxicity Acute inhalation toxicity copper Acute dermal toxicity Skin irritation Eye irritation Sensitisation copper CMR effects	 INFORMATION : LD50: 3,501 mg/kg Species: rat : LD50: > 5,000 mg/kg Species: rabbit : Species: rabbit Result: No skin irritation : Remarks: Moderate eye irritation : Classification: Did not cause sensitization on laboratory animals. 		

	Material Safety Data Sheet POOL TIME® ALGICIDE PLUS®		
rsion: 1.1	Revision Date: 12/27/2010	Print Date: 11/02/2	
ECOLOGICAL INFORMATIO	ON CONTRACTOR OF		
Further information on eco	ology		
Additional ecological information	: Toxic to aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds or estuaries, oceans, or other waters unless accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the perr authority has been notified in writing prior to discharge. Do discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plan authority. For guidance contact your State Water Board or Regional Office of the EPA.	nitting not	
CTION 13. DISPOSAL CONS	IDERATIONS		
Further information	: Dispose of waste material in compliance with all federal, sta local regulations.	te, and	
Contaminated packaging	: Do not re-use empty containers. Rinse thoroughly before discarding in trash. Offer rinsed packaging material to local recycling facilities.		
CTION 14. TRANSPORT INF	ORMATION		
DOT			
UN number	: 1760		
	Corrosive liquids, n.o.s.		
UN number Description of the goods	Corrosive liquids, n.o.s.(Copper Sulfate)		
UN number Description of the goods Class	 Corrosive liquids, n.o.s. (Copper Sulfate) 8 		
UN number Description of the goods	Corrosive liquids, n.o.s.(Copper Sulfate)		
UN number Description of the goods Class Packing group ERG Code	 Corrosive liquids, n.o.s. (Copper Sulfate) 8 III 		
UN number Description of the goods Class Packing group	 Corrosive liquids, n.o.s. (Copper Sulfate) 8 III 		
UN number Description of the goods Class Packing group ERG Code	 Corrosive liquids, n.o.s. (Copper Sulfate) 8 III 154 1760 Corrosive liquid, n.o.s. 		
UN number Description of the goods Class Packing group ERG Code <u>IATA</u> UN number Description of the goods	 Corrosive liquids, n.o.s. (Copper Sulfate) 8 III 154 1760 Corrosive liquid, n.o.s. (Copper Sulfate) 		
UN number Description of the goods Class Packing group ERG Code <u>IATA</u> UN number	 Corrosive liquids, n.o.s. (Copper Sulfate) 8 III 154 1760 Corrosive liquid, n.o.s. 		
UN number Description of the goods Class Packing group ERG Code <u>IATA</u> UN number Description of the goods Class Packing group <u>IMDG</u>	 Corrosive liquids, n.o.s. (Copper Sulfate) 8 III 154 1760 Corrosive liquid, n.o.s. (Copper Sulfate) 8 III 		
UN number Description of the goods Class Packing group ERG Code <u>IATA</u> UN number Description of the goods Class Packing group	 Corrosive liquids, n.o.s. (Copper Sulfate) 8 III 154 1760 Corrosive liquid, n.o.s. (Copper Sulfate) 8 		

Material Safety Data Sheet POOL TIME® ALGICIDE PLUS®				
rersion: 1.1	Revision Date: 12/27/2010	Print Date: 11/02/201		
Description of the goods	CORROSIVE LIQUID, N.O.S. (Copper Sulfate)			
Class	: 8			
Packing group	: III			
EmS Letter 1	: F-A			
EmS Letter 2	: S-B			
Marine pollutant	: yes Copper Sulfate			
Not recommended for ship	oment by air			
Limited Quantity exemption				
ORM-D Consumer Comm Not regulated by DOT and	odity exemption possible I TDG if shipped or transported in packagin	ng less than 450		
liters by road and/or rail.				
ECTION 15. REGULATORY IN OSHA Hazards	FORMATION : This material is hazardous under the criter Communication Standard 29CFR 1910.12			
CERCLA Reportable Quantity	: 78 lbs			
SARA 311/312 Hazards	copper sulphate 7758-98-7 : Acute Health Hazard	10 lbs		
EPCRA - EMERGENCY PL	ANNING COMMUNITY RIGHT - TO - KNOW			
SARA 302 Reportable Quantity	:			
SARA 313 Components	Copper Sulfate	7758-98-7		
ECTION 16. OTHER INFORMA	TION			
Further information				
HMIS Classification	: Health hazard: 2 Flammability: 0 Physical hazards: 0			
\P 6.0	7/8	SDS Number: 00000005168		

	Material Safety Data Sheet			
POOL TIME® ALGICIDE PLUS®				
Version: 1.1	Revision Date: 12/27/2010	Print Date: 11/02/2011		
NFPA Classification	: Health hazard: 2 Fire Hazard: 0 Reactivity Hazard: 0			
Other Emergency Phone Number				

Latin America:	Brazil	+52 113 711 91 44
	All other countries	+44 (0)208 762 8322
Mexico:		+52 555 004 87 63

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.