Material Safety Data Sheet

SABRE Red USA Civilian

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910. 1200. Standard must be reviewed for specific requirements. Quick Identifier 1/1/2013

SECTION 1 - CHEMICAL PRODUCT & COMPANY IDENTIFICATION					
Manufacturer's Name:	SECURITY EQUIPMENT CORPORATION	Emergency Phone Number:	800-325-9568		
Address:	747 SUN PARK DRIVE	Other Calls:	636-343-0200		
City, State, Zip	FENTON, MO 63026	Fax Number:	636-343-1318		
Chemical Name:	Oleoresin Capsicum (Red Pepper)	Model #'s: 14-C	OC-US, KR-14-US, KR-14-US-02, FHP-01		
Chemical Family:	Irritant Agent	HC-14-BK-US, HC-14-	HC-14-BK-US, HC-14-BK-US-02, HC-14-PK-US, HC-NBCF-01		
Trade Name:	SABRE Red USA Civilian	NRA-HC-01-TC,HC	C-NBCF-02, KR-NBCF-02, SPKC-BK-US,		
Common Name:	Pepper Spray, OC Spray	SPKC-PC-US, SP	KC-GC-US, P-22-OC-US, P-22J-OC-US,		
	P-22J-PK-US, CY-35-US, SRU-HAPK, FHP-01, P-B	K-HC-NBCF-01, NRA-HC-01-TC	C, NRA-MK-3-H, MK-3-AM-US, LS-22-US		
	SG-3/4-BK-US, SG-R-BK-US, SG-3/4-PK-US, SG-R-	-PK-US, SG-3/4-WH-US, SG-R	-WH-US, SST-01-BK-US, SST-01-PK-US		
	SF-01-BK-U	S, SF-01-RD-US, SF-01-PR-US	S, SF-R-01-US, SFZ-01-US, SF-NBCF-01		

Hazardous Component(s) (chemical & common name(s)	Content(s)	OSHA PEL	ACGIH TLV	Carcinigen (Yes / No)
Oleoresin Capsicum:	10%	N/A	N/A	No
Scoville Heat Units	1,000,000	N/A	N/A	No
Major Capsaicinoids	0.67%	N/A	N/A	No
Capsaicin CAS #404-86-4				
Nordihydrocapsaicin CAS #19408-84-5				
Dihydrocapsaicin CAS #28789-35		_	_	

HFC 134a

Major Capsaicinoids are determined via A.O.A.C. Method 995.03. * Other ingredients are trade secrets as defined in Hazard Communications ACT 29 CFR 1910.1200 Para 1 (1) end Appendix D to CFR 1910.1200.

SECTION 3 - HAZARD IDENTIFICATION

SEVERE SKIN, EYE, RESPIRATORY & DIGESTIVE IRRITANT. CONTENTS UNDER PRESSURE. KEEP OUT OF THE REACH OF CHILDREN. DO NOT PUNCTURE OR INCINERATE CAN. DO NOT EXPOSE TO HEAT OR STORE ABOVE 120° F. DO NOT USE AFTER CANISTER'S EXPIRATION DATE. CONTENTS ARE DANGEROUS, USE WITH CARE.

Fire: 1 **HMIS Ratings:** Health: 2 Reactivity: 0

Signs & Symptoms Of Exposure: Ingredients cause irritation through all routes of entry.

EYE: Liquid or vapors may cause redness, burning, tearing, swelling and/or pain.

SKIN: Frequent or repeated contact with skin may cause burning, redness or skin irriation and dermatitis.

INGESTION: Ingestion may cause irritation to the mouth, throat and stomache, as well as nausea, vomiting, and/or diarrhea.

INHALATION: May cause irriation of the respiratory tract as coughing, sneezing, gagging, chest tightness and irritation to the throat and lungs.

MEDICAL CONDITIONS AGRAVATED: May cause more severe, temporary, effects on those persons

who are asthmatics or suffer from emphysema.

CARCINOGEN DATA: None of the Ingredients in this product are listed with OSHA, IARC or NTP as cacinogenic.

SECTION 4 - FIRST AID MEASURES

Remove victim from contaminated area and remove contaminated clothing. Provide fresh air, Emergency & First Aid Proceedures: irrigate with copious amounts of cool water. Obtain medical advice is symptoms persist.

	1. Inhalation:	Remove from contaminated area immediate. Provide fresh air. If breathing is difficult, administer oxygen. If the victim is not breathing, administer CPR. Seek immediate medical attention.
	2. Eyes:	Only exposed subject or EMS should remove subject's contact lenses. Irrigate with cool water for at least 15 minutes, or until relieved. Seek medical attention if irritation persists.
Routes Of Entry	3. Skin:	Flush with cool water for at least 15 minutes. Wash with mild soap and water. Seek medical attention if irritation persists.
	4. Ingestion:	DO NOT INDUCE VOMITING. If victim is conscious and not convulsing, rinse mouth with water. Ingest milk or water. Call 800-535-5053 or obtain medical advice immediately. If victim is convulsing or unconscious, do not give anything by mouth, ensure the victim's airway is open and lay the victim on his/her side with the head lower than the body. IMMEDIATELY transport the victum to a hospital.

SECTION	SECTION 5 - FIRE-FIGHTING MEASURES					
Flammability Classification 16 CFR 1500.45: Non-Flammable; DO NOT USE with Electronic Immobilization Device						
Flash Point:	> 106° C (228° F)	Auto-Ignition Temperature:	228° C (442° F)			
Extinguishing Media:	Halon, Carbon Dioxide, Dry Chemical or Water					
Special Fire Fighting Procedures:	Wear respirator or self-contained breathing app	aratus.				
Unusual Fire and Explosion Hazards:	Smoke would be irritating to eyes and mucous i	membranes.	Containers may burst in the heat of a fire.			

SECTION 6 - ACCIDENTAL RELEASE MEASURES			
Wipe up small spills with absorbent material. With large spills, use			
respiratory equipment, to avoid irritation, and collect absorbent materials.			
Ventilate area and after absorbent process, wash area with soap and cold water			
Stay upwind			
Dispose of in accordance with current laws and regulations.			

SECTION 7 - HANDLING AND STORAGE			
	Store upright in a cool, dry area. Avoid direct light and heat.		
Precautions to be taken in handeling & storage:	DO NOT expose to temperatures over 120° F / 50° C.		
	DO NOT puncture or incinerate container.		
Other Precautions:	Assure can is in a secure place to prevent accidental rupture.		

SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION			
Respiratory Protection:	Not normally required in well-ventilated areas, however, NIOSH approved respiratory protection may be required when the material is used in confined areas. Avoid overexposure for long periods in enclosed areas.		
Ventilation:	Yes		
Protective Gloves:	Suggested (not required)		
Eye Protection:	Yes. Exposure without protection in training environment is acceptable.		
Other Protective Clothing or Equipment:	Not required		
Work/Hygienic Practices:	Avoid absorbtion of product on clothing. If absorbed in clothing, remove and wash clothes at once. Do not eat, drink, or smoke while handling product.		
Engineering Controls:	Provide ventilation if working in confined areas.		

SECTION 9 - PHYSICAL & CHEMICAL PROPERTIES					
Appearance & Odor:	Red/Orange in color. Odd	r is pungent	Physical Sta	_{ate:} Liquid	
Boiling Point:	230° C (446° F)	Specific Gravity (H20 = 1)	~0.95 @ 20° C		
Solubility in Water:	Soluble	Vapor Pressure:	100 PSI		

Stability Unstable Conditions To Avoid Incompatibility (Materials To Avoid) N/A Stable X Hazardous Polymerization: Will Not Occur X Conditions To Avoid Incompatibility (Materials To Avoid) N/A Hazardous Decomposition Products: N/A

SECTION 11 - TOXICOLOGICAL INFORMATION

Standard Draize Test: Severity: Slightly Irritating

Skin, rabbit, 500 mg

Standard Draize Test: Severity: Mildly Irritating

Eye, rabbit, 100 mg

ACUTE INHALATION LC50 (rat): > 100.5 mg/L

SECTION 12 - ECOLOGICAL INFORMATION

This product has not been tested for environmental effects.

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste Disposal Methods: Consult Federal, State, and Local Regulations

Evacuate contents in a safe area, & dispose of container.

SECTION 14 - TRANSPORT INFORMATION

DOT HM-181 INFORMATION

GROUND AIR (<120mL) AIR (>120mL)

Proper Shipping Name: Consumer Commodity Consumer Commodity Aerosols, non-flammable

Hazzard Class or Division: ORM-D CLASS 9 2.2 **Identification Number:** ID-8000 UN1950 none Packaging Group: none none none Label(s) Required: none CLASS 9 LTD QTY 2.2

INTERNATIONAL TRANSPORTATION REGULATIONS

Regulations vary from country to country. Check regulations for your country.

GROUND AIR (<120mL) AIR (>120mL) OCEAN **Proper Shipping Name:** Consumer Consumer Aerosols, non-Aerosols, non-Commodity Commodity flammable flammable **Hazzard Class or Division:** ORM-D CLASS 9 2.2 2.2 **Identification Number:** ID-8000 UN1950 UN1950 none **Packaging Group:** none none none none CLASS 9 LTD QTY 2.2 2.2 Label(s) Required: none

SECTION 15 - REGULATORY INFORMATION

TOXIC SUBSTANCES CONTROL ACT:
This product is in compliance with the U.S. Toxic Substances
Control Act (TSCA) inventory requirements.

Not Listed

CLEAN AIR ACT (CAA):
Not Listed

CLEAN AIR ACT (CAA):Not ListedCLEAN WATER ACT (CWA):Not ListedCALIFORNIA PROPOSITION 65:Not Listed

CANADIAN WORKPLACE HAZARDOUS MATERIALS INFORMATIONS SYSTEMS (WHMIS): Not Listed

SECTION 16 - OTHER INFORMATION

Format and Preparation Complies with ANSI Z400.1-1993

DISCLAIMER: The information contained herein is based upon data provided to us by our suppliers, and reflects our best judgement. However, no warranty of merchantability, fitness for any use, or any other warranty is expressed or immplied regarding the accuracy of such data, or the results to be obtained from the use thereof. Since the information contained herein may be applied under conditions beyond our control and with which we may be unfamiliar, we do not assume any responsibility for the results of such application. The information is furnished upon the condition that the persons receiving it shall make their own determination of the suitability of the material for any particular purpose.