




PET DOOR

SIZE AND MEASUREMENT GUIDELINES

Choosing the Right Option

"Rise" is the height from the floor to the bottom of the flap in the pet door when installed in your door. In other words, it is the height the pet must step over to enter or exit the pet door.


The pet door insert conveniently comes with the rise already calculated. If you have a short or small pet, select the 8" rise option. If your pet is tall or larger, select the 10-1/2" rise option.



Note: The Pet Door rise takes into account 3" to clear bottom reinforced edges of entry door.

Measuring for the Right Fit

1. First, it is ideal that the widest part of the pet is less than 10", not including fur, to easily fit through the width of the flap opening.
2. Then, a height measurement needs to be taken from the top of the shoulders to the bottom of the chest or belly, whichever is the tallest part. Now, add two inches to the height measurement to determine if pet can easily fit through 16-1/2", the height of the flap opening.
3. Lastly, the withers should be measured from the top of the shoulders to the floor to determine which rise is the right option. Remember the Pet Door insert's rises are 8" or 10-1/2". Taking into account this measurement, the 8" rise is recommended for shorter pets with a 24-1/2" maximum withers measurement and the 10-1/2" rise is for taller pets with a 27" maximum withers measurement.



Note: As a general rule of thumb, the shorter the rise the better. As pets age, they can develop arthritis making it more difficult to step over a high rise.

JELD-WEN Entry Door with PetSafe Panel Pet Door Insert

Your JELD-WEN® Entry Door has been installed with the PetSafe® Panel Pet Door Insert™ accessory designed to allow your family pet to have the freedom to come and go as the pet pleases. The panel insert has been professionally installed for a finished look to complement your entry door.

For questions regarding the JELD-WEN entry door installation, finishing or warranty, review the installation instructions supplied with the entry door or visit www.jeld-wen.com.

If you have questions regarding the PetSafe product, review the Homeowner's Guide included with the Panel Pet Door Insert.

LIABILITY

By selecting an entry door with a pet door insert, the user acknowledges he/she understands and accepts the risks associated with the use, misuse and ultimate suitability of a pet door. JELD-WEN and Radio Systems Corporation are not responsible for hazards to humans, animals, or property created by the use of a pet door.

PLEASE READ THE WARNING AND CAUTION STATEMENTS INCLUDED IN THE PETSAFE HOMEOWNER'S GUIDE AND KEEP THIS DOCUMENT FOR REFERENCE.

CERTIFICATIONS & BUILDING CODES

It is the responsibility of the contractor and homeowner to know and comply with local and state building codes and requirements before installing the JELD-WEN Entry Door with the PetSafe Panel Pet Door Insert. JELD-WEN and Radio Systems Corporation are not responsible for compliance with any building code requirements.

The JELD-WEN Entry Door with PetSafe Panel Pet Door Insert is not certified to meet any building or energy codes as follows:

Fire Ratings – does not meet National Fire Protection Association Guidelines (NFPA) Warnock Hersey Programs or other fire resistance codes; the opening created by the pet door defeats the door's fire resistance.

Structural Performance and Impact Ratings - does not meet ASTM E330, Miami Dade BCCO NOA, the Intertek Testing Services Warnock Hersey Programs or other requirements for structural and impact ratings.

Thermal Performance - does not meet any U-Value & SHGC in accordance with the International Energy Conservation Code (IECC) and or National Fenestration Rating Council (NFRC).

Acoustical Performance - does not meet any Sound Transmission Ratings (STC).

Air Infiltration - does not meet any air infiltration requirements per ASTM E283.

Water Infiltration – does not meet any requirements for water infiltration per ASTM E547.

Forced Entry Resistance - does not meet any Forced Entry Resistance, Miami-Dade BCCO PA202 physical endurance requirements in accordance with ANSI A151.1 / level 3.

APPROPRIATE EXPOSURE FOR EXTERIOR DOORS

To adequately protect your door and minimize the possibility of weather intrusion, an overhang may be required. Please see our "Appropriate Protection for Exterior Doors" document available on our website at www.jeld-wen.com.



Panel Pet Door Insert™ Homeowner's Guide

Model Number – RPA00-12510

protect. teach. love.



This is the safety alert symbol. It is used to alert you to potential personal injury hazards. Obey all safety messages that follow this symbol to avoid possible injury or death.



These symbols indicate that you should refer to the Homeowner's Informational Guide for important information.

WARNING

When children are present in the home, it is important to consider the pet door during child proofing activities, the pet door may be misused by a child resulting in the child accessing potential hazards that may be on the other side of the pet door. Purchasers/Homeowners with swimming pools should ensure that the pet door is monitored at all times and that the swimming pool has adequate barriers to entry. If a new hazard is created inside or outside of your home, which may be accessed through the pet door, Radio Systems® Corporation recommends that you properly guard access to the hazard or remove the pet door. The closing panel or lock, if applicable, is provided for aesthetic and energy efficiency purposes and is not intended as a security device. Radio Systems® Corporation will not be liable for unintended use and the purchaser of this product accepts full responsibility for oversight of the opening it creates.

CAUTION

The user, prior to installation, must become familiar with all building codes that may affect the installation of the pet door and determine, along with a licensed contractor, its suitability in a given installation. This pet door is not a fire door. It is important for the owner and contractor to consider any risks that may be present inside or outside of the pet door, and any risks that may be created by subsequent changes to your property and how they may relate to the existence and use, including misuse of the pet door.

Thank you for choosing the PetSafe® brand. You and your pet deserve a companionship that includes memorable moments and a shared understanding together. Our products and training tools promote a lifestyle of protection, teaching, and love—essentials that influence memories for a lifetime. If you have any questions about our products or training your pet, please visit our website at www.petsafe.net or contact our Customer Care Center at 1-800-732-2677.


PRODUCT WARRANTY

To get the most protection out of your one-year warranty, please register your product within 30 days at www.petsafe.net. By registering and keeping your receipt, you will enjoy the product's full warranty and should you ever need to call the Customer Care Center, we will be able to help you faster. Most importantly, PetSafe® will never give or sell your valuable information to anyone. Complete warranty information is available online at www.petsafe.net.

The PetSafe® Panel Pet Door Insert™ was professionally installed by a door manufacture or a professional door technician; please contact the manufacture or technician on any questions concerning installation. Any other questions about your PetSafe® pet door can be found by calling PetSafe® Customer Care Center at 1-800-732-2677 or by visiting www.petsafe.net.

To maintain your PetSafe® Panel Pet Door Insert™, please reference the expanded view and replacement parts available on reverse side:

Expanded View



Replacement Parts & Accessories

To purchase replacement parts or accessories, contact PetSafe® Customer Care Center at 1-800-732-2677 or by visiting www.petsafe.net.

Description	Part #
Large Replacement Flap	PAC11-11039
Replacement Hardware Kit	MPA00-12085/CPA00-12085
Closing Panel	MPA00-12828/CPA00-11383
PetSafe® Panel Blank Insert™	RPA00-12746

Flap Replacement/Horizontal Flap Adjustment: The PetSafe® Panel Pet Door Insert™ uses two PetSafe® large flaps. To replace a flap, simply hold flap up and unscrew the five screws on the lower section of the inboard Hinge Plate. Replace with a new flap and return existing five screws to secure flap back into place. To horizontally adjust a flap, hold flap up and loosen the five screws on the lower section of the inboard Hinge Plate. Adjust flap left or right for a snug fit and tighten screws back into place.

Vertical Flap Adjustment: To adjust flap vertically the Interior or Exterior Cover plate will need to be removed, depending on which flap is being modified. Use a small flat head screwdriver to remove Finishing Plugs on the Interior or Exterior Cover. Loosen the five screws on the upper section of the Hinge Plate and adjust flap up or down for a snug fit. Tighten screws back into place and replace Finishing Plugs.

NOTE: Vinyl flaps shrink during cold months and stretch in warmer months and may need to be adjusted to ensure a proper fit during seasonal changes.

Paintable Design: The PetSafe® Panel Pet Door Insert™ was professionally painted during installation. If you need to repaint your pet door insert, the only parts paintable are the Interior and Exterior Panels, Dual-Flap Mount, Bottom Mount, Interior and Exterior Cover Plates and Finishing Plugs. Any new paintable parts should be primed before painting. T-grooves on the Exterior Panel Insert, the Dual-Flap Mount and Bottom Mount should not be painted to allow movement after installation.

Closing Panel: Included with the PetSafe® Panel Pet Door Insert™ is a plastic snap-on closing panel. Convenient, for those times when limiting access for your pet's entry and exit is necessary.

PetSafe® Panel Blank Insert™: If you no longer have the need for a pet door, you can replace your PetSafe® Panel Pet Door Insert™ with the Panel Blank Insert™. The PetSafe® Panel Blank Insert™ provides the same paneled look without the pet door and is paintable.

In no event shall Radio Systems® Corporation be liable for any direct, indirect, punitive, incidental, special or consequential damages, or any damages whatsoever arising out of or connected with the use or misuse of this Product. Buyer assumes all risks and liability from the use of this Product.

Under no circumstances will PetSafe® be liable for any labor charges or any expenses whatsoever in connection with the painting, removal, repair or installation of this product.