
#### TECHNICAL DATA

## Shower Door

# SLIDING CONTEMPORARY STYLE SHOWER TRACK 48"- 60"



MATERIALS: Anodized Aluminum Excursions (Track) and Zinc Die Cast (Mounting Brackets). Bronze Finish is Powder Coated.

Bumper

INSTALLATION: Detailed Instructions and Hardware Included for Easy Installation.

UNIQUE FEATURE: Constructed of Corrosion Resistant Anodized Alumninum.

48" - 60" Track Assembly Kit

Fits 48" Shower Doors with an Opening min/max of 43 3/8" - 47 3/8" (110cm-120cm), with a Height of 71" (180cm). Fits 60" Shower Doors with an Opening min/max of 50 1/8" - 58 1/2" (127cm-149cm), with a Height of 71" (180cm).

2

PVC

**WARRANTY:** 5 Year Limited Warranty.




## TECHNICAL DATA

# Shower Door

### SLIDING SHOWER 48" & 60" GLASS PANELS





MATERIALS: INSTALLATION: 1/4" (6mm) Tempered Glass Panel.

UNIQUE FEATURE:

Detailed Instructions and Hardware Included for Easy Installation. Spot Guard Easy Clean Coating.

Traditional:


48": Fits Doors with an Opening min/max of 43 3/8" – 47 3/8" (110cm-120cm), with a Height of 70" (178cm). 60": Fits doors with an opening min/max of 50 1/8" – 59 3/8" (127cm-151cm), with a Height of 70" (178cm).

Contemporary:

48": Fits Doors with an Opening min/max of 43 3/8" - 47 3/8" (110cm-120cm), with a Height of 71" (180cm). 60": Fits Doors with an Opening min/max of 50 1/8" - 581/2" (127cm-149cm), with a Height of 71" (180cm).

**WARRANTY:** 5 Year Limited Warranty.





MATERIALS: Zinc Posts for All, Stainless Steel Bars for Polished Chrome, Aluminum Bars for Brushed Nickel, Oil Rubbed Bronze & Polished Brass.

**INSTALLATION:** Detailed Instructions and Hardware Included for Easy Installation.

**UNIQUE FEATURE:** Coordinates with Delta® Faucets and Bath Hardware.

Compatible with All Delta® Sliding Bathtub or Shower Doors.

**WARRANTY:** 5 Year Limited Warranty.

