	Material Safety Data Sheet	
POOL TIME® SHOCK	TREATMENT	
Version: 1.3	Revision Date: 07/15/2011	Print Date: 11/02/2011
SECTION 1. PRODUCT AND CO	OMPANY IDENTIFICATION	
Product name:	POOL TIME® SHOCK TREATMENT	
Product Use Description:	Recreational Water Product	
Registration number:	67262-36	
Company:	Recreational Water Products, Inc. PO Box 1449 Buford, GA 30515-1449	
	Telephone: (800) 859-7946	
Emergency telephone number:	CHEMTREC: (24 hours) 800-424-9300, 703-527-388 Poison Control Center (Medical) :: (877) 800-5553	37
	For additional emergency telephone numbers see sec	tion 16 of the Safety Data Sheet.
Prepared by:	Product Safety Department (US) +1 866-430-2775	
07/15/2011	+011-886-2-2712-5668 MSDSRequest@chemtura	i.com

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Danger			
Form: granules	Colour: white	Odour: Chlorine	
Hazard Summary	Harmful May be Avoid br Irritating May cau Irritating	serious eye damage. if swallowed. fatal if inhaled. eathing dust or vapor.	
OSHA Hazards			US UNDER THE CRITERIA OF THE FEDERAL TION STANDARD 29CFR 1910.1200.
Potential Health Effect	S		
Primary Routes of Entry	: Skin cor	itact	
.0		1/9	SDS Number: 00000005149

Material Safety Data Sheet POOL TIME® SHOCK TREATMENT Version: 1.3 Revision Date: 07/15/2011 Print Date: 11/02/2011 Inhalation Ingestion Eye contact Inhalation : Irritating to respiratory system. May be fatal if inhaled. Skin : Irritating to skin. May cause burns or external ulcers. Eyes : Causes serious eye damage. Ingestion : Harmful if swallowed.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Component / CAS-No.	Weight percent
Trichloro-s-triazinetrione 87-90-1	53.5 %
Trade secret 031	25 - 30 %
Trade secret 001	4 - 6 %

SECTION 4. FIRST AID MEASURES

0	2/9	SDS Number: 00000005149
Notes to physician Treatment	: Probable mucosal damage mag	y contraindicate the use of gastric lavage.
Notoo to physician		
	Do not give anything by mouth	to a convulsing or unconscious person.
	control center.	
	Have person sip a glass of wate	er if able to swallow. ss directed to do so by a physician or poison
Ingestion	: Call a physician or poison contr	
	Call a POISON CENTER or do	÷ .
	minutes. Remove contact lenses, if pres	ent, after 5 minutes, then continue rinsing e
Eye contact		of water, also under the eyelids, for at least
	Call a POISON CENTER or do	ctor/ pnysician.
		of water for at least 15 minutes.
Skin contact	: Remove contaminated clothing	and shoes.
	Call a POISON CENTER or do	ctor/ physician.
	respiration, preferably mouth-to	p-mouth, if possible.
Inhalation	: Remove to fresh air.	911 or an ambulance, then give artificial

Material Safety Data Sheet POOL TIME® SHOCK TREATMENT

Version: 1.3

Revision Date: 07/15/2011

Print Date: 11/02/2011

TION 5. FIRE-FIGHTING MEA	SURES
Flammable properties	
Flash point	: Remarks: not applicable
Fire fighting	
Suitable extinguishing media	: Flood with large volumes of water.
Unsuitable extinguishing media	: ABC powder Dry powder Risk of violent reaction.
Further information	: Do not let fire burn.
Protective equipment and pr	ecautions for firefighters
Specific hazards during fire fighting	: Under extreme heat (greater than 400F), this product will evolve noxious chlo containing gases.
Special protective equipment for fire-fighters	: In the event of fire, wear self-contained breathing apparatus. Thoroughly decontaminate fire fighting equipment including all fire fighting wearing apparel after the incident.
Environmental precautions	: Do not flush into surface water or sanitary sewer system.
Methods for containment / Methods for cleaning up	: Using appropriate protective clothing and safety equipment, contain spilled material.
	Do not add water to spilled material. Using clean dedicated equipment, sweep and scoop all spilled material, contaminated soil, and other contaminated material and place into clean dry containers for disposal.
	Do not close containers containing wet or damp material. They should be left open to disperse any hazardous gases that may form.
	: Do not use floor sweeping compounds to clean up spills. Do not transport wet or damp material.
Additional advice	Treat recovered material as described in the section "Disposal considerations
Additional advice	Do not contaminate water, food or feed by storage or disposal or cleaning of equipment.
Additional advice	equipment.
	equipment.
TION 7. HANDLING AND STC	equipment.

Material Safety Data Sheet

rsion: 1.3	Revision Date: 07/15/2011	Print Date: 11/02/20
Use only clean and dry utensils. Do not add this product to any dispensing devices containing remnants other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals may sta chemical reaction and generate heat, hazardous gas, possible fire and explosion. In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well ventilated area. Flood with large volumes of water.		n leading to fire or chemicals may start a , possible fire and seal container.
		ndling and before eating,
Storage		
Requirements for storage areas and containers	 Store in original container. Keep container closed when not in use. Store in a cool, dry, well ventilated area away from he Keep out of reach of children. Keep away from animals. 	eat or open flame.
CTION 8. EXPOSURE CONTR Exposure Guidelines	ROLS/PERSONAL PROTECTION	
Engineering measures Engineering measures	: Use only with adequate ventilation. Ensure that eyewash stations and safety showers are location.	e close to the workstation
Personal protective equipm		
i cisonai proteotive equipii	nent	
Eye protection	ent : Safety glasses with side-shields	
Eye protection	: Safety glasses with side-shields	
Eye protection Hand protection	 Safety glasses with side-shields Wear rubber gloves. A respiratory protection program that meets OSHA 19 requirements must be followed whenever workplace 	
Eye protection Hand protection Respiratory protection Hygiene measures	 Safety glasses with side-shields Wear rubber gloves. A respiratory protection program that meets OSHA 19 requirements must be followed whenever workplace respirator's use. Wash contaminated clothing before reuse. 	
Eye protection Hand protection Respiratory protection Hygiene measures	 Safety glasses with side-shields Wear rubber gloves. A respiratory protection program that meets OSHA 19 requirements must be followed whenever workplace respirator's use. Wash contaminated clothing before reuse. 	
Eye protection Hand protection Respiratory protection Hygiene measures CTION 9. PHYSICAL AND CH Appearance	 Safety glasses with side-shields Wear rubber gloves. A respiratory protection program that meets OSHA 19 requirements must be followed whenever workplace respirator's use. Wash contaminated clothing before reuse. 	
Eye protection Hand protection Respiratory protection Hygiene measures	 Safety glasses with side-shields Wear rubber gloves. A respiratory protection program that meets OSHA 19 requirements must be followed whenever workplace respirator's use. Wash contaminated clothing before reuse. 	
Eye protection Hand protection Respiratory protection Hygiene measures CTION 9. PHYSICAL AND CH Appearance Form	 Safety glasses with side-shields Wear rubber gloves. A respiratory protection program that meets OSHA 19 requirements must be followed whenever workplace respirator's use. Wash contaminated clothing before reuse. EMICAL PROPERTIES granules 	

	TREATMENT	
sion: 1.3	Revision Date: 07/15/2011	Print Date: 11/02/2
Safety data	Also and an Period	
Flash point	: Note: not applicable	
pH	: ca. 3.7 Note: 1% Solution	
Freezing point	: Note: Not Available	
Boiling point/boiling range	: Note: not applicable	
Vapour pressure	: Note: Not Available	
Density	: 0.995 g/cm3 at 77 °F (25 °C)	
Water solubility	: 34 g/l	
Relative vapour density	: Note: Not Available	
	 Remarks: Avoid contact with water on concentrated material in the container. Do not mix with other swimming pool/spa chemicals in their concentrated forms. Avoid contact with water on concentrated material in the container. Avoid contact with easily oxidizable material; ammonia, urea, or similar nitrogen containing compounds; inorganic reducing compounds; floor sweeping 	
	container. Do not mix with other swimming pool/spa chemi forms. Avoid contact with water on concentrated materi contact with easily oxidizable material; ammonia containing compounds; inorganic reducing comp	cals in their concentrated ial in the container. Avoid a, urea, or similar nitrogen bounds; floor sweeping
	container. Do not mix with other swimming pool/spa chemi forms. Avoid contact with water on concentrated materi contact with easily oxidizable material; ammonia	cals in their concentrated ial in the container. Avoid a, urea, or similar nitrogen bounds; floor sweeping ng pool/spa chemicals in
	container. Do not mix with other swimming pool/spa chemi forms. Avoid contact with water on concentrated materi contact with easily oxidizable material; ammonia containing compounds; inorganic reducing comp compounds; calcium hypochlorite; other swimmi	cals in their concentrated ial in the container. Avoid a, urea, or similar nitrogen pounds; floor sweeping ng pool/spa chemicals in ith all other chemicals.
Hazardous decomposition products Thermal decomposition	container. Do not mix with other swimming pool/spa chemi forms. Avoid contact with water on concentrated materi contact with easily oxidizable material; ammonia containing compounds; inorganic reducing comp compounds; calcium hypochlorite; other swimmi their concentrated form; alkalis. Avoid contact w	cals in their concentrated ial in the container. Avoid a, urea, or similar nitrogen pounds; floor sweeping ng pool/spa chemicals in ith all other chemicals.
products	 container. Do not mix with other swimming pool/spa chemi forms. Avoid contact with water on concentrated materic contact with easily oxidizable material; ammonia containing compounds; inorganic reducing compounds; calcium hypochlorite; other swimmi their concentrated form; alkalis. Avoid contact w Note: Chlorine containing gases can be produced 	cals in their concentrated ial in the container. Avoid a, urea, or similar nitrogen pounds; floor sweeping ng pool/spa chemicals in ith all other chemicals.
products Thermal decomposition	 container. Do not mix with other swimming pool/spa chemi forms. Avoid contact with water on concentrated materic contact with easily oxidizable material; ammonia containing compounds; inorganic reducing compounds; calcium hypochlorite; other swimmi their concentrated form; alkalis. Avoid contact w Note: Chlorine containing gases can be produce 200 °C Hazardous polymerisation does not occur. 	cals in their concentrated ial in the container. Avoid a, urea, or similar nitrogen pounds; floor sweeping ng pool/spa chemicals in ith all other chemicals.
products Thermal decomposition Hazardous reactions	 container. Do not mix with other swimming pool/spa chemi forms. Avoid contact with water on concentrated materic contact with easily oxidizable material; ammonia containing compounds; inorganic reducing compounds; calcium hypochlorite; other swimmi their concentrated form; alkalis. Avoid contact w Note: Chlorine containing gases can be produce 200 °C Hazardous polymerisation does not occur. 	cals in their concentrated ial in the container. Avoid a, urea, or similar nitrogen pounds; floor sweeping ng pool/spa chemicals in ith all other chemicals.
products Thermal decomposition Hazardous reactions TION 11. TOXICOLOGICAL	 container. Do not mix with other swimming pool/spa chemi forms. Avoid contact with water on concentrated materi contact with easily oxidizable material; ammonia containing compounds; inorganic reducing comp compounds; calcium hypochlorite; other swimmi their concentrated form; alkalis. Avoid contact w Note: Chlorine containing gases can be produce 200 °C Hazardous polymerisation does not occur. 	cals in their concentrated ial in the container. Avoid a, urea, or similar nitrogen pounds; floor sweeping ng pool/spa chemicals in ith all other chemicals.


Material Safety Data Sheet POOL TIME® SHOCK TREATMENT

ersion: 1.3	Revision Date: 07/15/2011	Print Date: 11/02/20
	Species: rabbit	
Skin irritation	: Remarks: Irritating to skin. May cause burns or external ulcers.	
Eye irritation	: Remarks: Causes serious eye damage.	
Sensitisation	: Remarks: This product is not expected to be a	skin sensitizer.
. ECOLOGICAL INFORMATIC	N	
Toxicity to fish Trichloro-s-triazinetrione	: LC50: 0.24 mg/l Exposure time: 96 h	
	Species: Oncorhynchus mykiss (rainbow trout))
Trade secret 031	: LC50: 315 mg/l Exposure time: 96 h	
	Species: Fish	
Trade secret 001	: LC50: 37 mg/l Exposure time: 96 h	
	Species: Gambusia affinis (Mosquito fish) static test LC50: 33.9 mg/l Exposure time: 96 h	
	Species: Pimephales promelas (fathead minno flow-through test	ow)
Toxicity to daphnia and othe Trichloro-s-triazinetrione	aquatic invertebrates. : LC50: 0.21 mg/l Exposure time: 48 h Species: Daphnia magna (Water flea)	
Trade secret 001	: LC50: ca. 6.57 mg/l Exposure time: 48 h	
Toxicity to algae Trichloro-s-triazinetrione	: EC50: 655 mg/l Exposure time: 96 h Species: Algae	
Toxicity to bacteria Trade secret 031	: 770 mg/l Exposure time: 17 h Species: Bacteria	
> 6.0	6/9 SDS	Number: 00000005149

Material Safety Data Sheet POOL TIME® SHOCK TREATMENT

POOL TIME® SHOCK	TREATMENT	
Version: 1.3	Revision Date: 07/15/2011	Print Date: 11/02/2011
Bioaccumulation Trade secret 031	: Bioconcentration factor (BCF): 0.5 Remarks: Bioaccumulation is unlikely.	
Trade secret 001	: Remarks: Bioaccumulation is unlikely.	
Further information on ecol	ogy	
Additional ecological information	 Toxic to fish. Toxic to aquatic organisms. Do not discharge effluent containing this product streams, ponds or estuaries, oceans, or other we accordance with the requirements of a National Discharge Elimination System (NPDES) permit a authority has been notified in writing prior to disc discharge effluent containing this product to sew without previously notifying the local sewage tree authority. For guidance contact your State Wate Regional Office of the EPA. 	raters unless in Pollutant and the permitting charge. Do not ver systems eatment plant
SECTION 13. DISPOSAL CONSIL	DERATIONS	
Further information	 Dispose of waste material in compliance with all local regulations. If these wastes cannot be disposed of by use ac instructions, contact your Environmental Control Hazardous Waste Representative at the neares Office for guidance. For registered pesticides, of Pesticide Agency. Do not contaminate ponds, waterways or ditche used container. Do not put product, spilled product, or filled or pr containers into the trash or waste compactor. Contact with incompatible materials could caused Improper disposal of excess product, spray mixtiviolation of Federal Law. 	ccording to label I Agency or the t EPA Regional contact your State s with chemical or artially filled e a reaction or fire.
Contaminated packaging	: Do not re-use empty containers. Rinse thoroughly before discarding in trash. Offer rinsed packaging material to local recycling	g facilities.
SECTION 14. TRANSPORT INFO	RMATION	
DOT UN number Description of the goods Class Packing group ERG Code	 : 3077 : Environmentally hazardous substances, solid, n : (Trichloro-s-triazinetrione) : 9 : III : 171 	I.O.S.
SAP 6.0	7 / 9 SDS N	Number: 000000005149

sion: 1.3	Material Safety Data Sheet OOL TIME® SHOCK TREATMENT		
	Revision Date: 07/15/2011	Print Date: 11/02/	
ΙΑΤΑ			
UN number	: 3077		
Description of the goods	: Environmentally hazardous substance, solid, n.c	0.5	
	(Trichloro-s-triazinetrione)		
Class	: 9		
Packing group	: 111		
Labels	: 9		
Environmentally hazardous	: yes		
IMDG			
UN number	: 3077		
Description of the goods	: ENVIRONMENTALLY HAZARDOUS SUBSTAN	CE. SOLID.	
2000	N.O.S.		
	(Trichloro-s-triazinetrione)		
Class	: 9		
Packing group	:		
Labels	: 9		
EmS Number 1	: F-A		
EmS Number 2	: S-F		
Marina nallutant			
Marine pollutant	: yes Trichloro-s-triazinetrione		
Environmentally hazardous	: yes		
	Trichloro-s-triazinetrione		
TION 15. REGULATORY INI	FORMATION		
OSHA Hazards	: This material is hazardous under the criteria of the Communication Standard 29CFR 1910.1200.	e Federal OSHA Hazard	
CERCLA Reportable	: 5000 lbs		
CLINCLA Reportable			
Quantity	: Acute Health Hazard		
Quantity			
Quantity SARA 311/312 Hazards	Fire Hazard		
Quantity	Fire Hazard Reactivity Hazard		
Quantity SARA 311/312 Hazards			
Quantity SARA 311/312 Hazards EPCRA - EMERGENCY PLA	Reactivity Hazard		
Quantity SARA 311/312 Hazards EPCRA - EMERGENCY PLA SARA 302 Reportable	Reactivity Hazard		
Quantity SARA 311/312 Hazards EPCRA - EMERGENCY PLA SARA 302 Reportable	Reactivity Hazard		
Quantity SARA 311/312 Hazards EPCRA - EMERGENCY PLA SARA 302 Reportable	Reactivity Hazard		
Quantity SARA 311/312 Hazards EPCRA - EMERGENCY PLA SARA 302 Reportable	Reactivity Hazard		
Quantity SARA 311/312 Hazards EPCRA - EMERGENCY PLA SARA 302 Reportable	Reactivity Hazard		
Quantity SARA 311/312 Hazards EPCRA - EMERGENCY PLA SARA 302 Reportable	Reactivity Hazard		
Quantity SARA 311/312 Hazards	Reactivity Hazard		
Quantity SARA 311/312 Hazards EPCRA - EMERGENCY PLA SARA 302 Reportable	Reactivity Hazard		
Quantity SARA 311/312 Hazards EPCRA - EMERGENCY PLA SARA 302 Reportable	Reactivity Hazard		



The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.