

MATERIAL SAFETY DATA SHEET

MANUFACTURER:
JARDEN
SUNBEAM PRODUCTS
BOCA RATON
FLORIDA
33431

DATE: March, 2012

Page 1 or 3

EMERGENCY TELEPHONE:
CHEMTREC: 1-800-424-9300

SECTION I: PRODUCT INFORMATION

IDENTITY: SUNBEAM HUMIDIFIER WATER TREATMENT S1706

CHEMICAL NAME: N/A

CHEMICAL FAMILY: 1. Ethylene Diamine Tetra Acetic Acid, 2. Phosphonate

FORMULA: N/A

CAS REGISTRY NUMBER: N/A

DOT SHIPPING NAME: N/A

DOT HAZARD CLASS: N/A

SECTION II: HAZARDOUS INGREDIENTS

<u>INGREDIENT (CAS#)</u>	<u>%</u>
Tetrasodium salt of ethylene diamine tetra acetic acid (64-02-08)	>0.0 - 0.5
(Hedp)1- Hydroxyethylidene 1, Diphosponic acid (29329-71-3)	>0.0 - 0.5
Water (7732-18-5)	> 99.0

SECTION III: PHYSICAL AND CHEMICAL CHARACTERISTICS

Boiling Point: Comparable to water

Vapor Pressure (MM HG) Comparable to water

Vapor Density: Comparable to water

Solubility in water: complete

Appearance and odor: Clear, colorless, with mild odor

Specific Gravity (H2O-1): 1.00

Melting Point: Comparable to water

Evaporation Rate: Comparable to water

pH @ 70°F: 10

SECTION IV: FIRE AND EXPLOSION HAZARD DATA

Flash point (method used): N/A

Flammability Limit in Air: Lower limits (LEL): N/A

Upper limits (UEL): N/A

Extinguishing Media for Fires: Use water spray, dry chemical, alcohol foam or CO2

Special Fire Fighting Procedures: Wear self-contained, positive pressure breathing apparatus.

Unusual Fire and Explosion Hazards: Irritating gases such as ammonia and oxides of nitrogen may be given off when heated.

MATERIAL SAFETY DATA SHEET

Page 2 of 3

Product name: Holmes Water Treatment

V: REACTIVITY DATA

Stability: Stable

Conditions to avoid: Extreme heat

Materials to avoid: Strong oxidizing agents and acids

Hazardous decomposition products: Irritating gases such as ammonia and oxides of nitrogen may be given off when heated.

Hazardous Polymerization – will not occur

VI: HEALTH HAZARD DATA

Carcinogen or potential carcinogen	NTP	LARC	OSHA
	No	No	No

Health Hazard (Acute or chronic):

Eyes: Contact can cause moderate to severe irritation and possibly injury to the eyes.

Skin: Prolonged and/or repeated skin contact with this product may cause irritation/dermatitis.

Ingestion: Mist may cause irritation of nasal and respiratory passages.

Effects of overexposure: Prolonged exposure may cause irritation.

Medical conditions generally aggravated by exposure: Dermatitis and respiratory conditions.

Emergency First Aid Procedures

Eyes: Flush eyes immediately with plenty of water for a minimum of 15 minutes. If irritation occurs, seek medical attention.

Skin: Wash off skin with water. Remove contaminated clothing and clean before reuse. Contact physician if irritation occurs.

Ingestion: If swallowed, seek medical attention or call a poison control center immediately.

Inhalation: Remove to fresh air. If affected person is not breathing, apply artificial respiration. If breathing is difficult, give oxygen.

VII: PRECAUTIONS FOR SAFE HANDLING AND USE

Spill or Leak procedures: Collect and place in a suitable container, sorbent may be used. Do not allow the spilled product to enter public drainage system or open water courses.

Disposal recommendation: Dispose in accordance with all applicable federal, state and local guidelines.

Storage and Handling Requirements: Store in a dry area away from heat and open flame.

Other precautions: N/A

VII: CONTROL MEASURES

Respiratory protection: Dust Protection

Ventilation – Local

MATERIAL SAFETY DATA SHEET

Page 3 of 3

Product Name: Holmes Water Treatment

Protective Gloves: Chemical resistant gloves if handling bulk.

Other protective equipment or clothing: If handling bulk chemical, an apron, eye wash and safety shower.

Work Hygiene practice: Prudent hygiene practices recommended.

IX: REGULATORY

SARA Title III, Set. 313 – Superfund Amendments and Reauthorization Act of 1986.

This product does not contain components reportable under this statute.

X: DISCLAIMER

Jarden believes that the information contained herein (including data and statements) is accurate as of the date hereof. No warranty of merchantability, fitness for any particular purpose, or any other warranty, express or implied, is made as concerns that information herein provided. The information provided herein relates only to the specific product designated and may not be valid where such product is used in combination with any other materials or in any process, further, since the conditions and methods of use of the product and the information referred to herein are beyond the control of Holmes Products Corporation as to any results obtained or arising from any use of the product or such information. No statement made herein shall be construed as a permission or recommendation for the use of any product in a manner that might infringe existing patents. Technical information included may contain information provided by vendors.