

Entryways that complement your style

When choosing the right entryway for your home, start by considering your home's architectural style. What door style will accent the exterior of your home? Then think about the glass shape. Now select the glass pattern. Masonite® offers a wide variety of glass shapes, caming colors, bevels and textures. These beautiful decorative glass patterns help to create entryways that are sure to accentuate a wide array of architectural home styles.









* Cape Cod™ 22" x 48" Softbrow shown

 $\mathbf{0}\mathbf{x}\mathbf{ford}^{\scriptscriptstyle\mathsf{TM}}$ $\textbf{Cape Cod}^{^{\scriptscriptstyle{\mathsf{TM}}}}$ $\mathsf{Tucson}^{^{\mathsf{TM}}}$ $\pmb{\mathsf{Essex}}^{\mathsf{\tiny TM}}$













































20th Century American

Masonite steel entry systems . . . innovation and style meet at the door.

An entryway is often a reflection of one's personal style. It welcomes friends and neighbors and adds value and curb appeal. But did you know that an entryway can also complement the architectural style of your home? With the right glass pattern combined with the right door style you are sure to accent your home's exterior. Masonite steel entry systems are designed and manufactured to exacting standards and specifications. The innovative line-up of Endurance Steel Entry Doors makes every home more valuable, more elegant and more beautiful.

Endurance

- Choose from a large selection of glass designs to suit your home's architectural style
- Increase the value of your home while adding curb appeal
- Lock support reinforces lockset and deadbolt
- Steel security plate helps resist forced entry
- Durable steel door construction
- Safety-laminated decorative glass is safe and secure
- High-performance glass lite frame withstands high temperatures
- Energy saving insulated inner core
- Compression weather-stripping and bottom sweep seal out the weather
- Factory-primed door and frame, ready-to-install





Endurance

STEEL CLEAR GLASS ENTRY DOORS

- Lock support reinforces lockset and deadbolt
- Steel security plate helps resist forced entry
- Durable steel door construction
- Safety-tempered glass is safe and secure
- High-performance glass lite frame withstands high temperatures
- Energy saving insulated inner core
- Compression weather-stripping and bottom sweep seal out the weather
- Factory-primed door and frame, ready-to-install





<u>Primary/Basic</u>

- Ideally used for utility (garage, sheds) type applications
- Lock block reinforces lockset
- Durable steel door construction
- Energy saving insulated inner core
- Compression weather-stripping and bottom sweep seal out the weather
- Factory-primed door and frame, ready-to-install





Create a grand entryway

Step 1. Select your configuration



Half Lite Camber Top

1 Panel

Door/Sidelite







w/2 Sidelites





& Rectangular Transom


Door w/2 Sidelites & Elliptical Transom

3/4

Half Lite

Please Note: Not all glass shapes are available for all door designs

Step 2. Select your door style



*Please Note: Not all shapes available for all glass patterns

Half Lite Soft Brow

Half Lite Camber Top

2 Panel

Step 3. Select your glass pattern



Arch Top Fan Lite

Fan Lite

Twin Lite

Each glass series is rated using a privacy rating scale with 1 being the least obscure and 9 providing the most privacy.

Half Lite Round Top

^{*}Please Note: Not all glass patterns available for all door styles



Tudor Mediterranean Modern








Barcelona

An intricate glass design that embraces a introduced to the New World by the it's influential ironwork is a sure accent to any European style home.







3/4 Lite



Half Lite Camber Top 1 Panel (2 Panel available)





Half Lite 2 Panel (1 Panel available)



Twin Lite







Half Lite

French

Mediterranean

Modern









Tudor Mediterranean Modern










Milan

wrought iron scrolls. Elegantly

at a time. This European perfect finish for

Frosted glass texture finish and wrought iron with pewter detail shown





Full Lite



3/4 Lite



Half Lite 2 Panel (1 Panel available)



Twin Lite







3/4 Lite Left



3/4 Lite Right



Half Lite Left

Modern

Half Lite Right





Mediterranean









Mediterranean Tudor Modern







Wrought iron with gold detail shown

Tuscany

Beauty and elegance provide for a simplistic look. Forged rails of black wrought iron intertwined with scrolls and leaves, come together to create a luxurious design.



Frosted glass texture finish and wrought iron with gold detail shown

Least Obscure			— PRIVACY RATING —			Most Obscure		
1	2	3	4	5	6	7	8	9







3/4 Lite



Half Lite 2 Panel (1 Panel available)



Twin Lite



Full Lit



3/4 Lite



Half Lite

French

Mediterranean

















New Haven

An elegant glass design that fuses rippled glass, brilliant beveled clusters and subtle granite borders together to create a warm and inviting atmosphere to any entryway. This finely crafted lite design coupled with a Masonite® premium high-definition steel door is an impressive choice for a 20th Century American or American Traditional style home.

Also available in: Zinc Caming



Least Obscure			— PRIV	PRIVACY RATING ———				Most Obscure		
1	2	3	4	5	6	7	8	9		
							8			



Full Lite (8ft available)



Full Oval



Brass caming shown

3/4 Lite



3/4 Oval



Half Lite Round Top



Half Lite 2 Panel (1 Panel available)



Twin Lite



Fan Lite



Full Lite (8ft available)



3/4 Lite



Half Lite



Half Lite Round Top





Elliptical Transom (Brass only)



Victorian Colonial Ranch








Providence

A finely crafted glass design that combines a granite beveled center cluster along with a grey or clear baroque outer border. Additional rippled and floral accents allow light to dance in your home while preserving privacy. The Providence™ lends timeless beauty to a 20th Century American style home.

Also available in: **Antique Black Caming** (with a grey baroque outer border)







PRIVACY RATING Least Obscure



Full Lite



(with a grey baroque outer border)

Zinc caming shown

Full Oval



3/4 Lite



3/4 Oval



Center Arch



(1 Panel available)



Twin Lite



Arch Top Fan Lite



Fan Lite





3/4 Lite



Half Lite



Rectangular Transom (Zinc only)




Elliptical Transom (Zinc only)



Tucson





Full Lite



3/4 Lite



Half Lite 2 Panel





Twin Lite










Half Lite












Tucson Color





Full Lite



3/4 Lite



Half Lite 2 Panel (1 Panel available)



Twin Lite



Arch Top Fan Lite





3/4 Lite



Half Lite












Cape Cod

A subtle blending of zippercut bevels, clear swirls and antique black caming all help to cast light beautifully in one's home. This glass design combined with a Masonite® high-definition door panel is an excellent accent to an American Traditional or 20th Century home.

> Antique Black caming shown





Rectangular Transom



Full Oval



3/4 Lite Soft Brow



3/4 Oval



Elliptical Transom

Half Lite Soft Brow



Twin Lite



Fan Lite







Craftsman





Victorian



Cottage & Craftsman



Full Lite



Elmhurst **





PRIVACY RATING

Rectangular Transom (Antique Black only)



Full Lite (8ft available)



3/4 Lite



Half Lite Camber Top 1 Panel (2 Panel available)





Twin Lite



Full Lite (8ft available)



Half Lite

Also available in: Zinc Caming























Half Lite Soft Brow



Half Lite 2 Panel (1 Panel available)

Victorian








Fan Lite






Ranch



Half Lite



Cottage & Craftsman









Oxford **

An innovative glass design that combines glue chip and v-groove glass to create a simple pattern with a high level of





Least Obscure			— PRIV	PRIVACY RATING ———				Most Obscure	
1	2	3	4	5	6	7	8	9	
								9	



Full Lite















Colonial

Split Level

Victorian







*Many designs are also available in smooth fiberglass

Fan Lite White Internal or External Grille



Full Lite Clear Glass




9 Lite Internal or External



Vent Lite



15 Lite Internal or External Grille



10 Lite Internal or External



12 Lite Arch Top External Grille



Half Lite Mini Raise and Lower Miniblind




Masonite® offers an extensive range of clear glass and panel doors. These doors are ideal for many applications and offer a cost effective way to add curb appeal to your home.



Center Arch







Half Lite Clear Glass






Half Lite Full Lite Internal or External Grille



Full Lite Mini Raise and Lower Miniblind



Elliptical Transom

Rough Opening Dimensions Steel and Smooth Fiberglass

6'8" HIGH DOORS

Door Size	Opening Type	Height []]	WOOD FRAME UNIT Doors without sidelites	DOOR WITH 1 1 sidelite	S 14" SIDELITE ² 2 sidelites
_	Outside Jamb Dimensions	6' 91/2"	2' 71/2"	3' 11"	5' 2 ½'
Single Door 30" x 6'8"*	Rough Opening	6' 10"	2' 81/4"	3' 113⁄4"	5' 31/4'
	Brick Dimensions ³	6' 10¾"	2'10"	4' 11/2"	5' 5'
	Outside Jamb Dimensions	6' 91/2"	2' 91/2"	4' 1"	5' 41/2
Single Door 32" x 6'8"	Rough Opening	6' 10"	2' 101/4"	4' 13/4"	5' 51/4'
	Brick Dimensions ³	6' 10¾"	3'0"	4' 31/2"	5' 7'
Single Door 36" x 6'8"*	Outside Jamb Dimensions	6' 91/2"	3' 11/2"	4' 5"	5' 81/2'
	Rough Opening	6' 10"	3' 21/4"	4' 53/4"	5' 91/4'
	Brick Dimensions ³	6' 103/4"	3'4"	4' 71/2"	5' 11'
	Outside Jamb Dimensions	6' 91/2"	3' 71/2"	4' 11"	6' 2 ½'
Single Door 42" x 6'8"	Rough Opening	6' 10"	3' 81/4"	4' 113/4"	6' 31/4
	Brick Dimensions ³	6' 103/4"	3'10"	5' 11/2"	6' 5'
_	Outside Jamb Dimensions	6' 91/2"	5' 2"	6' 51/2"	7' 9'
Double Door 60" x 6'8"	Rough Opening	6' 10"	5' 2 ¾"	6' 61/4"	7' 9 3/4'
10	Brick Dimensions ³	6' 103/4"	5' 41⁄2"	6' 8"	7' 111/2
	Outside Jamb Dimensions	6' 91/2"	5' 6"	6' 91/2"	8' 1'
Double Door 64" x 6'8"	Rough Opening	6' 10"	5' 6 ¾"	6' 101/4"	8' 13/4'
	Brick Dimensions ³	6' 103/4"	5' 81/2"	7' 0"	8' 31/2'
	Outside Jamb Dimensions	6' 91/2"	6' 2"	7' 5½"	8' 9'
Double Door 72" x 6'8"	Rough Opening	6' 10"	6' 2 ¾"	7' 61/4"	8' 9 3/4'
	Brick Dimensions ³	6' 10¾"	6' 41/2"	7' 8"	8' 111/2
	Outside Jamb Dimensions	6' 91/2"	_	1' 31/2"	_
Sidelite Only	Rough Opening	6' 10"	_	1' 41/4"	_
Sidelile Only	Brick Dimensions ³	6' 103/4"	_	1' 6"	-

For swing-out doors (with bumper sills) subtract 7/8" from overall height of opening.

8'0" HIGH DOORS

New Construction Rough Opening Dimensions - Swing In Doors

Door Size Single Door 32" x 8'0"	Opening Type	Height []]	W WOOD FRAME UNIT Doors without sidelites	D T H S DOOR WITH 14" SIDELITE ² 1 sidelite 2 sidelites		
	Outside Jamb Dimensions Rough Opening Brick Dimensions ³	8' 1½" 8' 2" 8' 2¾"	2' 9½" 2' 10¼" 3' 0"	4' 1" 4' 13⁄4" 4' 31⁄2"	5' 4½" 5' 5½" 5' 7"	
Single Door 36" x 8'0"	Outside Jamb Dimensions	8' 1½"	3' 1½"	4' 5"	5' 8½"	
	Rough Opening	8' 2"	3' 2¼"	4' 5¾"	5' 9¼"	
	Brick Dimensions ³	8' 2¾"	3' 4"	4' 7½"	5' 11"	
Double Door 64" x 8'0"	Outside Jamb Dimensions	8' 1½"	5' 6"	6' 9½"	8' 1"	
	Rough Opening	8' 2"	5' 6¾"	6' 10¼"	8' 1¾"	
	Brick Dimensions ³	8' 2¾"	5' 8½"	7' 0"	8' 3½"	
Double Door 72" x 8'0"	Outside Jamb Dimensions	8' 1½"	6' 2"	7' 5½"	8' 9"	
	Rough Opening	8' 2"	6' 2¾"	7' 6¼"	8' 93⁄4"	
	Brick Dimensions ³	8' 2¾"	6' 4½"	7' 8"	8' 11½"	
Sidelite Only	Outside Jamb Dimensions Rough Opening Brick Dimensions ³	8' 1½" 8' 2" 8' 2¾"	- - -	l' 3½" l' 4¼" l' 6 "	-	

For swing-out doors (with bumper sills) subtract 7/8" from overall height of opening.

Brick mold dimensions shown are for swing in doors. For swing-out doors the bolded dimensions must be adjusted accordingly. For swing out doors only, add 3/4" to brick dimensions width.

On doors with sidelites, a 2" x 4" stud between the door frame and sidelite frame assembly may be used. Add 1-1/2" to the rough opening width for units with single sidelites and 3" for units with double sidelites.

Masonite employs continuous improvements and reserves the right to make changes at any time, in design, materials, specifications or to discontinue products without notice.

¹ This door system has a 1-1/4" threshold height which allows for approximately a 1" opening clearance over carpet, tile or other floor coverings. If this clearance is not sufficient, the complete door system should be installed on a wood spacer high enough to ensure swing clearance. If a spacer is used, the rough opening height must be adjusted accordingly.

² If using 12" sidelites, subtract 2" from the opening width for a single sidelite, and subtract 4" for double sidelites. Consult your distributor for size availability of these and other sidelite sizes.

 $^{^{}m 3}$ Brick mold dimension is measured from outside edge of brick mold on door unit.



Tucson™ Color Full Lite in a Cottage/Craftsman Style Home

Tucson™ Color Full Lite, Single Entry Door

Turson™ Color Glass Detail

Masonite's Commitment

At Masonite, employees from all parts of the company – sales, marketing, research and development, customer service and manufacturing – understand that people love their homes. In the past, homes were purchased to meet functional needs. Today, homes are purchased to meet specific lifestyles and to satisfy the need to create multiple living environments within a single home. To meet these lifestyle needs, Masonite is continually creating new and innovative products that will make every home more beautiful, more valuable and more enjoyable. With the ultimate goal of adding beauty and value to every home, Masonite's products are designed and constructed to exacting standards and specifications. All materials – wood, fiberglass, steel or composites – are engineered and carefully selected to ensure lasting durability and timeless performance. For individuals who are building, renovating or redecorating, Masonite products are certain to beautify and accentuate a wide array of architectural home styles.

Masonite. The Beautiful Door.®



Masonite Helpline: 1-800-663-DOOR (1-800-663-3667)
9 a.m. to 9 p.m. Monday through Saturday, 10 a.m. to 4 p.m. Sunday, EST
www.masonite.com